

# Universal Select



Reference guide

# 1.2mm Upper-Face fixation



**29-12900**

1.2mm Upper-Face plates/screws module with lid

## Screws

Part number	Description	Qty
56-12003	1.2x3mm Self-tapping AXS	25
56-12004	1.2x4mm Self-tapping AXS	35
56-12005	1.2x5mm Self-tapping AXS	15
56-12006	1.2x6mm Self-tapping AXS	10
56-12008	1.2x8mm Self-tapping AXS	5
56-12010	1.2x10mm Self-tapping AXS	5
56-12012	1.2x12mm Self-tapping AXS	5
56-12903	1.2x3mm Self-drilling AXS	60
56-12904	1.2x4mm Self-drilling AXS	40
56-14003	1.4x3mm Emergency AXS	10
56-14005	1.4x5mm Emergency AXS	10

## Drill bits

Part number	Description	Qty
60-09504	0.9x46mm, 4mm working length	2
60-10506	1.0x50mm, 6mm working length	2
60-10512	1.05x54mm, 12mm working length	2


## Malleable plates 0.5mm

Part number	Description	Qty
55-04218	18-hole straight	4
55-04231	3D Plate, 2x2-hole	4
55-04233	3D Plate, 6x2-hole	4
55-04240	7-hole double Y	4
55-04250	10-hole curved	4
55-04424	24-hole straight	4

## Standard plates 0.6mm

Part number	Description	Qty
55-06208	8-hole straight	4
55-06224	24-hole straight	4
55-06231	3D Plate, 2x2-hole	4
55-06233	3D Plate, 6x2-hole	4
55-06240	7-hole double Y	4
55-06250	10-hole curved	4
55-06254	4-hole orbital curved	4
55-06260	8-hole 90 degree, left	4
55-06261	8-hole 90 degree, right	4
55-06270	7-hole T	4

# 1.2mm Upper-Face fixation



**29-12901**

1.2mm Orbital plates/meshes module with lid

## Plates

Part number	Description	Qty
54-04004	3D Orbital floor, right - small, 0.4mm	2
54-04005	3D Orbital floor, right - large, 0.4mm	2
54-04006	3D Orbital floor, left - small, 0.4mm	2
54-04007	3D Orbital floor, left - large, 0.4mm	2


## Meshes

Part number	Description	Qty
56-90324	Dynamic mesh,90x90x0.3mm	1
56-90624	Dynamic mesh, 90x90x0.6mm	1

## Micro meshes

Part number	Description	Qty
56-90324	Dynamic mesh,90x90x0.3mm	1
56-90624	Dynamic mesh, 90x90x0.6mm	1

# 1.7mm Mid-Face fixation



**29-17900**

1.7mm Mid-Face plates/screws module with lid

## Screws

Part number	Description	Qty
56-17003	1.7x3mm Self-tapping AXS	15
56-17004	1.7x4mm Self-tapping AXS	30
56-17005	1.7x5mm Self-tapping AXS	25
56-17006	1.7x6mm Self-tapping AXS	10
56-17008	1.7x8mm Self-tapping AXS	10
56-17010	1.7x10mm Self-tapping AXS	5
56-17012	1.7x12mm Self-tapping AXS	5
56-17903	1.7x3mm Self-drilling AXS	40
56-17904	1.7x4mm Self-drilling AXS	40
56-17905	1.7x5mm Self-drilling AXS	10
56-17906	1.7x6mm Self-drilling AXS	10
56-19003	1.9x3mm Emergency AXS	10
56-19005	1.9x5mm Emergency AXS	10


## Drill bits

Part number	Description	Qty
60-13505	1.35x50mm, 5mm working length	2
60-13506	1.35x50mm, 6mm working length	2
60-14008	1.4x54mm, 8mm working length	2
60-13512	1.4x54mm, 12mm working length	2

## Standard plates 0.6mm

Part number	Description	Qty
55-06704	4-hole straight with bar	4
55-06708	8-hole straight	4
55-06724	24-hole straight	4
55-05151	5-hole Y, 4mm bar	4
55-05164	7-hole double Y	4
55-06771	5-hole T	4
55-06731	3D Plate, 2x2-hole	4
55-06733	3D Plate, 6x2-hole	4
55-06754	4-hole curved with bar	4
55-05188	6-hole curved with bar	4
55-06750	10-hole curved plate	4
55-06760	5-hole L, 2mm bar, 100 degree, left	4
55-06761	5-hole L, 2mm bar, 100 degree, right	4
55-06762	5-hole L, 5mm bar, 100 degree, left	4
55-06763	5-hole L, 5mm bar, 100 degree, right	4
55-06764	5-hole L, 8mm bar, 100 degree, left	4
55-06765	5-hole L, 8mm bar, 100 degree, right	4
55-06766	5-hole L, 12mm bar, 100 degree, left	4
55-06767	5-hole L, 12mm bar, 100 degree, right	4

# 1.7mm Mid-Face fixation



## 29-17901

1.7mm Mid-Face plates module with lid

### Screws

Part number	Description	Qty
56-17504	1.7x4mm Locking AXS	10
56-17505	1.7x5mm Locking AXS	10
56-17506	1.7x6mm Locking AXS	10


### Drill bits

Part number	Description	Qty
60-13570	1.3x79mm, 6mm stop	2

### Locking plates 0.8mm

Part number	Description	Qty
55-05716	16-hole straight	4
55-05731	3D Plate, 2x2-hole	4
55-05733	3D Plate, 2x6-hole	4
55-05751	5-hole Y, 4mm bar	4
55-05752	5-hole Y, 8mm bar	4
55-05779	8-hole Y	4
55-05742	7-hole double Y	4
55-05758	8-hole curved	4
55-05761	5-hole L, 2mm bar	4
55-05763	5-hole L, 5mm bar	4
55-05765	5-hole L, 8mm bar	4
55-05767	5-hole L, 12mm bar	4

# 1.7mm Mid-Face fixation




## 29-17902

1.7mm Mid-Face malleable plate inlay (fits in 29-17901 & 29-17940)

### Malleable plates 0.5mm

Part number	Description	Qty
55-03731	3D Plate, 2x2-hole	4
55-03733	3D Plate, 6x2-hole	4
55-04720	20-hole straight	4
55-04724	24-hole straight	4
55-04760	5-hole, 100 degree L, 2mm bar, left	4
55-04761	5-hole, 100 degree L, 2mm bar, right	4
55-04762	5-hole, 100 degree L, 5mm bar, left	4
55-04763	5-hole, 100 degree L, 5mm bar, right	4
55-04764	6-hole, 100 degree L, 8mm bar, left	4
55-04765	6-hole, 100 degree L, 8mm bar, right	4
55-04766	6-hole, 100 degree L, 12mm bar, left	4
55-04767	6-hole, 100 degree L, 12mm bar, right	4

# 1.7mm Mid-Face fixation



## 29-17903

1.7mm Orthognathic plate inlay (fits in 29-17901 and 29-17940)


### Chin plates 0.6mm

Part number	Description	Qty
55-10704	6-hole, 4mm advmt	2
55-10706	6-hole, 6mm advmt	2
55-10708	6-hole, 8mm advmt	2
55-10710	6-hole, 10mm advmt	2
55-10712	6-hole, 12mm advmt	2

### Le Fort plates 0.9mm


Part number	Description	Qty
55-11700	11-hole, 0mm advmt, left	2
55-11703	11-hole, 3mm advmt, left	2
55-11704	11-hole, 4mm advmt, left	2
55-11706	11-hole, 6mm advmt, left	2
55-11708	11-hole, 8mm advmt, left	2
55-11710	11-hole, 10mm advmt, left	2
55-12700	11-hole, 0mm advmt, right	2
55-12703	11-hole, 3mm advmt, right	2
55-12704	11-hole, 4mm advmt, right	2
55-12706	11-hole, 6mm advmt, right	2
55-12708	11-hole, 8mm advmt, right	2
55-12710	11-hole, 10mm advmt, right	2

# 1.2/1.7mm Instruments



**29-13901**  
Tray for Upper/Mid-Face instruments

Part number	Description	Qty
60-20012	Repositioning pin drill bit, 2.0x13mm, total length 62mm	1
62-12173	3-Prong bender	1
62-12174	AXS screwdriver standard blade, 82mm total length	2
62-12175	Plate cutter/bender, right	1
62-12176	Plate cutter/bender, left	1
62-18110	Straight forceps, standard	1
62-18330	In-situ plate cutter	1
62-20285	Universal screwdriver handle, metal	2
62-32440	Bone repositioning instrument	1
92-08130	Plate holding fork	1



**29-13902**  
Tray for orbital floor instruments

Part number	Description	Qty
01-01820	3D Orbital floor plate forceps	1
01-02395	Adjustable globe retractor	1
14.20.09M	Wire cutters	1



# 2.0mm Mini-Plating fixation




**29-20900**

2.0mm Mini-Plating screws module with lid

## Screws

Part number	Description	Qty
50-20704	2.0x4mm MP self-tapping	20
50-20705	2.0x5mm MP self-tapping	40
50-20706	2.0x6mm MP self-tapping	40
50-20708	2.0x8mm MP self-tapping	20
50-20710	2.0x10mm MP self-tapping	20
50-20712	2.0x12mm MP self-tapping	20
50-20714	2.0x14mm MP self-tapping	10
50-20904	2.0x4mm MP self-drilling	30
50-20905	2.0x5mm MP self-drilling	50
50-20906	2.0x6mm MP self-drilling	20
50-23706	2.3x6mm MP emergency	10
50-23708	2.3x8mm MP emergency	10
50-23710	2.3x10mm MP emergency	10
50-23712	2.3x12mm MP emergency	10
50-23714	2.3x14mm MP emergency	5
50-23716	2.3x16mm MP emergency	5

# 2.0mm Mini-Plating fixation



## 29-20901

2.0mm Mini-Plating plates module with lid


### Chin plates 0.6mm

Part number	Description	Qty
92-09102	4-hole chin, 2mm advmt	2
92-09103	4-hole chin, 3mm advmt	2
92-09104	4-hole chin, 4mm advmt	2
92-09105	4-hole chin, 5mm advmt	2
92-09106	4-hole chin, 6mm advmt	2
92-09108	4-hole chin, 8mm advmt	2
92-09110	4-hole chin, 10mm advmt	2

### Plates 1.0mm

Part number	Description	Qty
55-08240	90 Degree T bone, no bar	4
55-08250	5-hole Y, no bar	4
55-08251	5-hole Y, 8mm bar	4
55-08260	6-hole double Y, no bar	4
55-08262	6-hole double Y, 8mm bar	4
92-55304	6-hole curved, 4mm bar	4
92-55308	6-hole curved, 8mm bar	4
92-55310	6-hole curved, 10mm bar	4
92-55825	6-hole curved, 16mm bar	4

# 2.0mm Mini-Plating fixation



## 29-20902

2.0mm Mini-Plating standard plates inlay – large (fits in 29-20901)


### Plates

Part number	Description	Qty
55-06310	3D Plate 2x2 square, 0.6mm	4
55-06312	3D Plate 2x2 rectangle, 0.6mm	4
55-06320	3D Plate 3x2-holes, 0.6mm	4
92-55563	3D Plate 2x2 trapezoid, 1.0mm	4
55-08204	4-hole straight, no bar, 1.0mm	4
55-10563	4-hole straight, reinforced bar, 1.0mm	4
55-08203	4-hole straight, 4mm bar, 1.0mm	4
55-08205	4-hole straight, 8mm bar, 1.0mm	4
55-08206	6-hole straight, no bar, 1.0mm	4
55-08216	16-hole straight, no bar, 1.0mm	4
55-08510	30-hole straight, no bar, 0.8mm	4
55-08230	4-hole L, right, no bar, 1.0mm	4
55-08231	4-hole L, left, no bar, 1.0mm	4
55-08232	4-hole L, right, 8mm bar, 1.0mm	4
55-08233	4-hole L, left, 8mm bar, 1.0mm	4
55-08234	4-hole L, right, 4mm bar, 1.0mm	4
55-08235	4-hole L, left, 4mm bar, 1.0mm	4
55-08236	5-hole L, right, 8mm bar, 1.0mm	4
55-08237	5-hole L, left, 8mm bar, 1.0mm	4

### Drill bits

Part number	Description	Qty
60-15105	1.5x50mm, 5mm working length	2
60-15008	1.5x50mm, 8mm working length	2
60-15020	1.5x58mm, 20mm working length	2
60-15520	1.5x107mm, 20mm working length	2
60-15620	1.5x110mm rainbow, 20mm working length	2

# 2.0mm Mini-Plating fixation



## 29-20905

2.0mm Mini-Plating Le-Fort plates inlay (fits in 29-20901)

### Le Fort plates 1.0mm

Part number	Description	Qty
92-11202	2mm advmt, left	2
92-12202	2mm advmt, right	2
92-11203	3mm advmt, left	2
92-12203	3mm advmt, right	2
92-11204	4mm advmt, left	2
92-12204	4mm advmt, right	2
92-11205	5mm advmt, left	2
92-12205	5mm advmt, right	2
92-11206	6mm advmt, left	2
92-12206	6mm advmt, right	2
92-11207	7mm advmt, left	2
92-12207	7mm advmt, right	2
92-11208	8mm advmt, left	2
92-12208	8mm advmt, right	2
92-11209	9mm advmt, left	2
92-12209	9mm advmt, right	2
92-11210	10mm advmt, left	2
92-12210	10mm advmt, right	2

# 2.0mm Mini-Plating fixation



## 29-20903

2.0mm Mini-Plating plates/screws module with lid

### Screws

Part number	Description	Qty
50-20704	2.0x4mm MP self-tapping	10
50-20705	2.0x5mm MP self-tapping	20
50-20706	2.0x6mm MP self-tapping	20
50-20708	2.0x8mm MP self-tapping	10
50-20710	2.0x10mm MP self-tapping	10
50-20712	2.0x12mm MP self-tapping	10
50-20714	2.0x14mm MP self-tapping	10
50-20716	2.0x16mm MP self-tapping	10
50-20904	2.0x4mm MP self-drilling	20
50-20905	2.0x5mm MP self-drilling	20
50-20906	2.0x6mm MP self-drilling	10
50-23706	2.3x6mm MP emergency	5
50-23708	2.3x8mm MP emergency	5
50-23710	2.3x10mm MP emergency	5
50-23712	2.3x12mm MP emergency	5


### Chin plates 0.6mm

Part number	Description	Qty
92-09102	4-hole chin, 2mm advmt	2
92-09103	4-hole chin, 3mm advmt	2
92-09104	4-hole chin, 4mm advmt	2
92-09105	4-hole chin, 5mm advmt	2
92-09106	4-hole chin, 6mm advmt	2
92-09108	4-hole chin, 8mm advmt	2
92-09110	4-hole chin, 10mm advmt	2

### Plates 1.0mm

Part number	Description	Qty
55-08240	90 Degree T bone, no bar	4
55-08250	5-hole Y, no bar	4
55-08251	5-hole Y, 8mm bar	4
55-08260	6-hole double Y, no bar	4
55-08262	6-hole double Y, 8mm bar	4
92-55304	6-hole curved, 4mm bar	4
92-55308	6-hole curved, 8mm bar	4
92-55310	6-hole curved, 10mm bar	4
92-55825	6-hole curved, 16mm bar	4

# 2.0mm Mini-Plating fixation



## 29-20904

2.0mm Mini-Plating standard plates inlay – small (fits in 29-20903)


### Plates

Part number	Description	Qty
55-06320	3D Plate 3x2-holes, 0.6mm	4
92-55563	3D Plate 2x2 trapezoid, 1.0mm	4
55-10563	4-hole straight, reinforced bar, 1.0mm	4
55-08204	4-hole straight, no bar, 1.0mm	4
55-08203	4-hole straight, 4mm bar, 1.0mm	4
55-08205	4-hole straight, 8mm bar, 1.0mm	4
55-08206	6-hole straight, no bar, 1.0mm	4
55-08216	16-hole straight, no bar, 1.0mm	4
55-08230	4-hole L, right, no bar, 1.0mm	4
55-08231	4-hole L, left, no bar, 1.0mm	4
55-08232	4-hole L, right, 8mm bar, 1.0mm	4
55-08233	4-hole L, left, 8mm bar, 1.0mm	4
55-08234	4-hole L, right, 4mm bar, 1.0mm	4
55-08235	4-hole L, left, 4mm bar, 1.0mm	4
55-08236	5-hole L, right, 8mm bar, 1.0mm	4
55-08237	5-hole L, left, 8mm bar, 1.0mm	4

### Drill bits

Part number	Description	Qty
60-15105	1.5x50mm, 5mm working length	2
60-15008	1.5x50mm, 8mm working length	2
60-15020	1.5x58mm, 20mm working length	2
60-15520	1.5x107mm, 20mm working length	2


## 2.0mm Mini-Plating instruments



**29-13903**  
Tray for 2.0 MP instruments

Part number	Description	Qty
36-00726	Plate bending pliers, with flat nose, 13.5cm	2
60-20140	2.0 MP screwdriver blade	2
62-20295	Universal screwdriver handle, revolving/rigid	2
01-08070	3-prong bender	1
62-08530	MP depth gauge	1
62-18110	Straight forceps, standard	1
62-18335	MP plate cutting plier	1

# 2.0/2.3mm Mandible fixation



**29-23905**

2.0/2.3mm Mandible plates/screws module with lid

## Screws

Part number	Description	Qty
50-20404	2.0x4mm Self-tapping	5
50-20405	2.0x5mm Self-tapping	5
50-20406	2.0x6mm Self-tapping	10
50-20408	2.0x8mm Self-tapping	10
50-20410	2.0x10mm Self-tapping	10
50-20412	2.0x12mm Self-tapping	5
50-20414	2.0x14mm Self-tapping	5
50-20506	2.0x6mm Locking	10
50-20508	2.0x8mm Locking	15
50-20510	2.0x10mm Locking	10
50-20512	2.0x12mm Locking	10
50-23406	2.3x6mm Self-tapping	10
50-23408	2.3x8mm Self-tapping	10
50-23410	2.3x10mm Self-tapping	10
50-23412	2.3x12mm Self-tapping	10
50-23414	2.3x14mm Self-tapping	10
50-23506	2.3x6mm Locking	10
50-23508	2.3x8mm Locking	10
50-23510	2.3x10mm Locking	10
50-23512	2.3x12mm Locking	10
50-23514	2.3x14mm Locking	10
50-27405	2.7x5mm Emergency self-tapping	5
50-27412	2.7x12mm Emergency self-tapping	5
50-27508	2.7x8mm Emergency locking	5
50-27512	2.7x12mm Emergency locking	5

## Fracture plates 1.5mm


Part number	Description	Qty
55-15504	4-hole fracture	2
55-15505	4-hole fracture, with bar	2
55-15506	6-hole fracture	2
55-15507	6-hole fracture, with bar	2
55-15514	14-hole fracture	2
55-15536	6-hole fracture, 140 degree, with bar	2

## Drill bits

Part number	Description	Qty
60-16005	1.6x50mm, 5mm working length, stop	2
60-16007	1.6x50mm, 7mm working length, stop	2
60-16135	1.6x115mm, 35mm working length	2
60-16526	1.6x58mm, 20mm working length	2
60-16535	1.6x85mm, 20mm working length	2
60-16620	1.6x110mm, rainbow	2
60-19135	1.9x115mm, 35mm working length	2
60-19526	1.9x58mm, 20mm working length	2
60-19535	1.9x85mm, 20mm working length	2
60-19620	1.9x110mm, rainbow	2



# 2.0/2.3mm Mandible fixation



## 29-23906

2.0/2.3mm Mini-Plate inlay – small (fits in 29-23905)

### Mini-Plates 1.0mm

Part number	Description	Qty
55-10503	4-hole straight, 8mm bar	4
55-10504	4-hole straight, no bar	4
55-10505	4-hole straight, 4mm bar	4
55-10506	6-hole straight, no bar	4
55-10507	6-hole straight, 8mm bar	4
55-10515	16-hole straight, condensed	4
55-10516	16-hole straight	4
55-10532	3D Plate, 3x2-holes, rectangle	4
55-10542	3D Plate, 4x2-holes, square	4
55-10562	3D Plate, 6x2-holes, curved	4
92-55505	4-hole prebent plate, with bar, right	4
92-55506	4-hole prebent plate, with bar, left	4

# 2.0/2.3mm Mandible fixation



**29-23900**

2.0/2.3mm Mandible screws module with lid


## Screws

Part number	Description	Qty
50-20404	2.0x4mm Self-tapping	10
50-20405	2.0x5mm Self-tapping	10
50-20406	2.0x6mm Self-tapping	10
50-20408	2.0x8mm Self-tapping	15
50-20410	2.0x10mm Self-tapping	10
50-20412	2.0x12mm Self-tapping	10
50-20414	2.0x14mm Self-tapping	5
50-20416	2.0x16mm Self-tapping	5
50-20504	2.0x4mm Locking	10
50-20505	2.0x5mm Locking	10
50-20506	2.0x6mm Locking	10
50-20508	2.0x8mm Locking	15
50-20510	2.0x10mm Locking	10
50-20512	2.0x12mm Locking	10
50-20514	2.0x14mm Locking	5
50-20516	2.0x16mm Locking	5
50-23404	2.3x4mm Self-tapping	10
50-23406	2.3x6mm Self-tapping	15
50-23408	2.3x8mm Self-tapping	10

## Screws

Part number	Description	Qty
50-23410	2.3x10mm Self-tapping	15
50-23412	2.3x12mm Self-tapping	15
50-23414	2.3x14mm Self-tapping	5
50-23416	2.3x16mm Self-tapping	5
50-23504	2.3x4mm Locking	10
50-23506	2.3x6mm Locking	15
50-23508	2.3x8mm Locking	10
50-23510	2.3x10mm Locking	15
50-23512	2.3x12mm Locking	15
50-23514	2.3x14mm Locking	5
50-23516	2.3x16mm Locking	5
50-27405	2.7x5mm Emergency self-tapping	5
50-27408	2.7x8mm Emergency self-tapping	5
50-27410	2.7x10mm Emergency self-tapping	5
50-27412	2.7x12mm Emergency self-tapping	5
50-27508	2.7x8mm Emergency locking	5
50-27510	2.7x10mm Emergency locking	5
50-27512	2.7x12mm Emergency locking	5
50-27514	2.7x14mm Emergency locking	5

# 2.0/2.3mm Mandible fixation



**29-23901**

2.0/2.3mm Mandible plates module with lid


## Fracture plates 1.5mm

Part number	Description	Qty
55-15504	4-hole fracture	2
55-15505	4-hole fracture, with bar	2
55-15506	6-hole fracture	2
55-15507	6-hole fracture, with bar	2
55-15514	14-hole fracture	2
55-15524	4-hole curved, with bar	2
55-15526	6-hole, 115 degree, with bar	2
55-15536	6-hole fracture, 140 degree, with bar	2

## MMF screws

Part number	Description	Qty
50-20358	2.0x8mm MMF screw	8
50-20362	2.0x12mm MMF screw	8

# 2.0/2.3mm Mandible fixation



## 29-23902

2.0/2.3mm Mini-Plating inlay – large (fits in 29-23901)


### Mini-Plates 1.0mm

Part number	Description	Qty
55-10532	3D Plate, 3x2-holes, rectangle	4
55-10542	3D Plate, 4x2-holes, square	4
55-10562	3D Plate, 6x2-holes, curved	4
55-10504	4-hole straight, no bar	4
55-10505	4-hole straight, 4mm bar	4
55-10503	4-hole straight, 8mm bar	4
92-55505	4-hole prebent plate, with bar, right	4
92-55506	4-hole prebent plate, with bar, left	4
55-10506	6-hole straight, no bar	4
55-10507	6-hole straight, 8mm bar	4
55-10515	16-hole straight, condensed	4
55-10516	16-hole straight	4

### Drill bits

Part number	Description	Qty
60-16005	1.6x50mm, 5mm working length, stop	2
60-16007	1.6x50mm, 7mm working length, stop	2
60-16135	1.6x115mm, 35mm working length	2
60-16526	1.6x58mm, 20mm working length	2
60-16535	1.6X85mm, 20mm working length	2
60-16620	1.6X110mm, rainbow	2
60-19135	1.9x115mm, 35mm working length	2
60-19526	1.9x58mm, 20mm working length	2
60-19535	1.9x85mm, 20mm working length	2
60-19620	1.9X110mm, rainbow	2

## 2.0/2.3mm Mandible instruments



### 29-13904

Tray for mandible fracture instruments

Part number	Description	Qty
01-08115	Angled forceps, locking	1
62-08430	Mandible depth gauge black	1
62-20130	2.0/2.3mm Screwdriver blade	2
62-20135	Screwdriver blade with grasping sleeve (assembled)	1
62-20290	Screwdriver handle, ratchet	2
64-00242	Plate bender left	1
64-00243	Plate bender/cutter right	1

# 2.0/2.3mm Mandible instruments



## 29-13905 Trocar system instrument tray

### Trocar

Part number	Description	Qty
62-00400	Trocar handle, no cannula	1
62-00408	Variable check retractor forcep, with light source	1
62-00414	Cheek retractor, with light source	1
62-00442	Variable cheek retractor, with light source	1
64-00175	Plate/bone forceps, atraumatic tip, left	1
64-00176	Plate/bone forceps, atraumatic tip, right	1

### 2.0 MP trocar

Part number	Description	Qty
62-08502	2.0 MP cannula for 62-00400	1
62-08506	2.0 MP trocar for 62-00400	1
62-08508	2.0 MP drill guide	1

### 2.0/2.3mm Mandible trocar

Part number	Description	Qty
62-00416	Mandible cannula for 62-00400, trauma tip	1
62-00403	Mandible trocar for 62-00400	1
62-04230	Mandible 2.0/2.3mm drill guide, centric	1

# 2.0/2.3mm Mandible reconstruction



## 29-23903

2.0/2.3mm Mandible reconstruction plates module with lid

### Secondary reconstruction plates 2.8mm

Part number	Description	Qty
55-28911	11-hole straight, with template	2
55-28917	17-hole straight, with template	2
55-28920	6+17-hole hemi mandibular plate, 34 degree, right	1
55-28922	6+17-hole hemi mandibular plate, 34 degree, left	1
55-28925	6+17-hole hemi mandibular plate, 17 degree, right	1
55-28926	6+17-hole hemi mandibular plate, 17 degree, left	1
55-28930	6+17+6-hole full mandibular plate	1
55-28932	6+15+6-hole full mandibular plate	1
55-28934	6+13+6-hole full mandibular plate	1

### Temporary condyle

Part number	Description	Qty
56-25000	Condyle fastening screws (package of two)	8
56-25001	Temporary condylar prosthesis, Left	1
56-25002	Temporary Condylar Prosthesis, Right	1

# 2.0/2.3mm Mandible reconstruction



## 29-23904

2.0/2.3mm Mandible reconstruction primary plates inlay  
(fits in 29-23903)

### Primary reconstruction plates 1.5mm

Part number	Description	Qty
55-15911	11-hole straight	2
55-15917	17-hole straight	2
55-15920	5+17-hole hemi mandibular, right	2
55-15922	5+17-hole hemi mandibular, left	2

### Drill bits

Part number	Description	Qty
60-16005	1.6x50mm, 5mm working length, stop	2
60-16007	1.6x50mm, 7mm working length, stop	2
60-16135	1.6x115mm, 35mm working length	2
60-16526	1.6x58mm, 20mm working length	2
60-16535	1.6x85mm, 20mm working length	2
60-19135	1.9x115mm, 35mm working length	2
60-19526	1.9x58mm, 20mm working length	2
60-19535	1.9x85mm, 20mm working length	2



## 2.0/2.3mm Mandible instruments



### 29-13906

Tray for mandible reconstruction instruments

Part number	Description	Qty
60-80142	Abrasive burr, 42mm, stryker end	1
60-80535	Temporary recon screw holder	1
64-00230	Recon bender/cutter left	1
64-00232	Recon bender/cutter right	1
65-144180	Hercules cutter	1




### 29-13907

Tray for 3-in-1 mandible reconstruction bender

Part number	Description	Qty
64-00251	Mandible recon 3-in-1 bender	1


# SMARTLock\* Hybrid MMF



## 29-23907

2.0mm Hybrid MMF plates/screws module with lid

Part number	Description	Qty
50-20596	2.0x6mm HMMF locking, self-drilling	60
50-20598	2.0x8mm HMMF locking, self-drilling	20
55-02950	Hybrid MMF plate	4
55-02951	Hybrid MMF plate, small	4
01-03490	Ligature wires, blunt, 24 gauge	20
01-03492	Ligature wires, blunt, 20 gauge	20
60-16526	1.6x58mm, 20mm working length	2
50-20358	2.0x8mm MMF screw	8
50-20362	2.0x12mm MMF screw	8




## 29-13908

Tray for Hybrid MMF instruments

Part number	Description	Qty
62-00604	SmartLock HMMF plate bender	1
62-00605	SmartLock HMMF plate spacer	1
62-18330	In-situ plate cutter	1
62-20130	2.0/2.3mm Screwdriver blade	2
62-20135	Screwdriver blade with grasping sleeve (assembled)	1
62-20290	Screwdriver handle, ratchet	2

# Right angled screwdriver



## 29-13909

Tray for right angled screwdriver

### Instruments

Part number	Description	Qty
65-147200	Right Angled Screwdriver with turning attachment	2
65-147201	Plate holding fork	2
65-147202	External handle	2
65-147205	Turning attachment	2

### 1.2mm Drill bits

Part number	Description	Qty
60-10908	1.0x18mm, 8mm working length	2

### 2.0 Mini-Plating drill bits

Part number	Description	Qty
60-15995	1.5x16mm, 5mm working length	2
60-15998	1.5x19mm, 8mm working length	2
60-15016	1.5x27mm, 16mm working length	2

### Screwdriver blades

Part number	Description	Qty
62-12179	1.2/1.7 Screw driver blade	2
62-20139	2.0/2.3 Screw driver blade	2
62-20149	2.0 MP Screw driver blade	2


### 1.7mm Drill bits

Part number	Description	Qty
60-14908	1.4x18mm, 8mm working length	2

### 2.0/2.3 Drill bits

Part number	Description	Qty
60-16996	1.6x17mm, 6mm working length	2
60-16998	1.6x19mm, 8mm working length	2
60-16018	1.6x29mm, 18mm working length	2
60-19996	1.9x17mm, 6mm working length	2
60-19998	1.9x19mm, 8mm working length	2
60-19018	1.9x29mm, 18mm working length	2


# Miscellaneous



**29-17940**  
Miscellaneous plates module with lid



**29-13941**  
Quarter-size lid for modules




**29-13970**  
Silicone wall (package of 5)

# Racks



**29-13900**  
Two level rack



**29-13910**  
Three level rack

# Accessories



**29-13920**  
Quarter-size accessory tray




**29-13930**  
Half-size accessory tray




**29-13921**  
Quarter-size lid for accessory tray



**29-13931**  
Half-size lid for accessory tray




**29-13922**  
Quarter-size silicon mat for accessory tray



**29-13932**  
Half-size silicon mat for accessory tray

# Screw length markers



Part number	Description	Qty
52-00003	3	2
52-00004	4	2
52-00005	5	2
52-00006	6	2
52-00007	7	2
52-00008	8	2
52-00010	10	2
52-00012	12	2
52-00014	14	2
52-00016	16	2
52-00018	18	2
52-00020	20	2
52-00024	24	2
52-00027	27	2
52-00030	30	2
52-00033	33	2
52-00036	36	2
52-00039	39	2
52-00042	42	2

## Craniomaxillofacial

This document is intended solely for the use of healthcare professionals.

A healthcare professional must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that healthcare professionals be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate the breadth of Stryker product offerings. A healthcare professional must always refer to the package insert, product label and/or instructions for use before using any Stryker product.

Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Hybrid MME, SMARTLock, Stryker. All other trademarks are trademarks of their respective owners or holders.

The products depicted are CE marked in accordance with applicable EU Regulations and Directives.



CMFBR151EN  
CMFBR151EN\_17561  
SDL 09/2018  
2018-17801  
Copyright © 2018 Stryker  
www.stryker.com



Stryker Leibinger GmbH & Co. KG  
Bötzingen Straße 41  
79111 Freiburg  
Germany



0197