

# Inventory Control Sheet



## Gamma3 R1.5 Nail

Surgery Date \_\_\_\_\_

Hospital \_\_\_\_\_ Surgeon \_\_\_\_\_

Sales Rep \_\_\_\_\_ Covered by \_\_\_\_\_

P.O.# \_\_\_\_\_ Received by \_\_\_\_\_


Ship Via \_\_\_\_\_ Ship To \_\_\_\_\_ Replenish To \_\_\_\_\_

Inv. Source  Hosp. Owned  Hosp. Consigned  Loaner  Other \_\_\_\_\_

Patient Information

Billing Type  Bill Only  Ship Only  Ship & Bill  Other \_\_\_\_\_

## Nail Kits



10mm Gamma3 S Long Nail Kits 1.5M Radius, Sterile (Left)

10mm Gamma3 S Long Nail Kits 1.5M Radius, Sterile (Right)

	Length (mm)	Angle	Qty.	
3520-0240S	240	120°		
3520-0260S	260	120°		
3520-0280S	280	120°		
3520-0300S	300	120°		
3520-0320S	320	120°		
3520-0340S	340	120°		
3520-0360S	360	120°		
3520-0380S	380	120°		
3520-0400S	400	120°		
3520-0420S	420	120°		
3520-0440S	440	120°		
3520-0460S	460	120°		
3520-0480S	480	120°		
3525-0240S	240	125°		
3525-0260S	260	125°		
3525-0280S	280	125°		
3525-0300S	300	125°		
3525-0320S	320	125°		
3525-0340S	340	125°		
3525-0360S	360	125°		
3525-0380S	380	125°		
3525-0400S	400	125°		
3525-0420S	420	125°		
3525-0440S	440	125°		
3525-0460S	460	125°		
3525-0480S	480	125°		
3530-0240S	240	130°		
3530-0260S	260	130°		
3530-0280S	280	130°		
3530-0300S	300	130°		
3530-0320S	320	130°		
3530-0340S	340	130°		
3530-0360S	360	130°		
3530-0380S	380	130°		
3530-0400S	400	130°		
3530-0420S	420	130°		
3530-0440S	440	130°		
3530-0460S	460	130°		
3530-0480S	480	130°		

	Length (mm)	Angle	Qty.	
3420-0240S	240	120°		
3420-0260S	260	120°		
3420-0280S	280	120°		
3420-0300S	300	120°		
3420-0320S	320	120°		
3420-0340S	340	120°		
3420-0360S	360	120°		
3420-0380S	380	120°		
3420-0400S	400	120°		
3420-0420S	420	120°		
3420-0440S	440	120°		
3420-0460S	460	120°		
3420-0480S	480	120°		
3425-0240S	240	125°		
3425-0260S	260	125°		
3425-0280S	280	125°		
3425-0300S	300	125°		
3425-0320S	320	125°		
3425-0340S	340	125°		
3425-0360S	360	125°		
3425-0380S	380	125°		
3425-0400S	400	125°		
3425-0420S	420	125°		
3425-0440S	440	125°		
3425-0460S	460	125°		
3425-0480S	480	125°		
3430-0240S	240	130°		
3430-0260S	260	130°		
3430-0280S	280	130°		
3430-0300S	300	130°		
3430-0320S	320	130°		
3430-0340S	340	130°		
3430-0360S	360	130°		
3430-0380S	380	130°		
3430-0400S	400	130°		
3430-0420S	420	130°		
3430-0440S	440	130°		
3430-0460S	460	130°		
3430-0480S	480	130°		

# Inventory Control Sheet Gamma3 R1.5 Nail

## 10mm Gamma3 S Trochanteric Nail Kits, Sterile

	Length (mm)	Angle	Qty.	
3120-0170S	170	120°	<input type="text"/>	_____
3125-0170S	170	125°	<input type="text"/>	_____
3130-0170S	170	130°	<input type="text"/>	_____

## 11mm Gamma3 Trochanteric Nails, Sterile

	Length (mm)	Angle	Qty.	
3120-1180S	180	120°	<input type="text"/>	_____
3125-1180S	180	125°	<input type="text"/>	_____
3130-1180S	180	130°	<input type="text"/>	_____
3120-1200S	200	120°	<input type="text"/>	_____
3125-1200S	200	125°	<input type="text"/>	_____
3130-1200S	200	130°	<input type="text"/>	_____

## 11mm Gamma3 Long Nail, R1.5M, Sterile (Left)

	Length (mm)	Angle	Qty.	
3520-1240S	240	120°	<input type="text"/>	_____
3520-1260S	260	120°	<input type="text"/>	_____
3520-1280S	280	120°	<input type="text"/>	_____
3520-1300S	300	120°	<input type="text"/>	_____
3520-1320S	320	120°	<input type="text"/>	_____
3520-1340S	340	120°	<input type="text"/>	_____
3520-1360S	360	120°	<input type="text"/>	_____
3520-1380S	380	120°	<input type="text"/>	_____
3520-1400S	400	120°	<input type="text"/>	_____
3520-1420S	420	120°	<input type="text"/>	_____
3520-1440S	440	120°	<input type="text"/>	_____
3520-1460S	460	120°	<input type="text"/>	_____
3520-1480S	480	120°	<input type="text"/>	_____
3525-1240S	240	125°	<input type="text"/>	_____
3525-1260S	260	125°	<input type="text"/>	_____
3525-1280S	280	125°	<input type="text"/>	_____
3525-1300S	300	125°	<input type="text"/>	_____
3525-1320S	320	125°	<input type="text"/>	_____
3525-1340S	340	125°	<input type="text"/>	_____
3525-1360S	360	125°	<input type="text"/>	_____
3525-1380S	380	125°	<input type="text"/>	_____
3525-1400S	400	125°	<input type="text"/>	_____
3525-1420S	420	125°	<input type="text"/>	_____
3525-1440S	440	125°	<input type="text"/>	_____
3525-1460S	460	125°	<input type="text"/>	_____
3525-1480S	480	125°	<input type="text"/>	_____
3530-1240S	240	130°	<input type="text"/>	_____
3530-1260S	260	130°	<input type="text"/>	_____
3530-1280S	280	130°	<input type="text"/>	_____
3530-1300S	300	130°	<input type="text"/>	_____
3530-1320S	320	130°	<input type="text"/>	_____
3530-1340S	340	130°	<input type="text"/>	_____
3530-1360S	360	130°	<input type="text"/>	_____
3530-1380S	380	130°	<input type="text"/>	_____
3530-1400S	400	130°	<input type="text"/>	_____
3530-1420S	420	130°	<input type="text"/>	_____
3530-1440S	440	130°	<input type="text"/>	_____
3530-1460S	460	130°	<input type="text"/>	_____
3530-1480S	480	130°	<input type="text"/>	_____

## 11mm Gamma3 Long Nail, R1.5M, Sterile (Right)

	Length (mm)	Angle	Qty.	
3420-1240S	240	120°	<input type="text"/>	_____
3420-1260S	260	120°	<input type="text"/>	_____
3420-1280S	280	120°	<input type="text"/>	_____
3420-1300S	300	120°	<input type="text"/>	_____
3420-1320S	320	120°	<input type="text"/>	_____
3420-1340S	340	120°	<input type="text"/>	_____
3420-1360S	360	120°	<input type="text"/>	_____
3420-1380S	380	120°	<input type="text"/>	_____
3420-1400S	400	120°	<input type="text"/>	_____
3420-1420S	420	120°	<input type="text"/>	_____
3420-1440S	440	120°	<input type="text"/>	_____
3420-1460S	460	120°	<input type="text"/>	_____
3420-1480S	480	120°	<input type="text"/>	_____
3425-1240S	240	125°	<input type="text"/>	_____
3425-1260S	260	125°	<input type="text"/>	_____
3425-1280S	280	125°	<input type="text"/>	_____
3425-1300S	300	125°	<input type="text"/>	_____
3425-1320S	320	125°	<input type="text"/>	_____
3425-1340S	340	125°	<input type="text"/>	_____
3425-1360S	360	125°	<input type="text"/>	_____
3425-1380S	380	125°	<input type="text"/>	_____
3425-1400S	400	125°	<input type="text"/>	_____
3425-1420S	420	125°	<input type="text"/>	_____
3425-1440S	440	125°	<input type="text"/>	_____
3425-1460S	460	125°	<input type="text"/>	_____
3425-1480S	480	125°	<input type="text"/>	_____
3430-1240S	240	130°	<input type="text"/>	_____
3430-1260S	260	130°	<input type="text"/>	_____
3430-1280S	280	130°	<input type="text"/>	_____
3430-1300S	300	130°	<input type="text"/>	_____
3430-1320S	320	130°	<input type="text"/>	_____
3430-1340S	340	130°	<input type="text"/>	_____
3430-1360S	360	130°	<input type="text"/>	_____
3430-1380S	380	130°	<input type="text"/>	_____
3430-1400S	400	130°	<input type="text"/>	_____
3430-1420S	420	130°	<input type="text"/>	_____
3430-1440S	440	130°	<input type="text"/>	_____
3430-1460S	460	130°	<input type="text"/>	_____
3430-1480S	480	130°	<input type="text"/>	_____

# Inventory Control Sheet Gamma3 R1.5 Nail

## 13mm Gamma3 Long Nail, R1.5M, Sterile (Left)

	Length (mm)	Angle	Qty.
3520-3240S	240	120°	
3520-3260S	260	120°	
3520-3280S	280	120°	
3520-3300S	300	120°	
3520-3320S	320	120°	
3520-3340S	340	120°	
3520-3360S	360	120°	
3520-3380S	380	120°	
3520-3400S	400	120°	
3520-3420S	420	120°	
3520-3440S	440	120°	
3520-3460S	460	120°	
3520-3480S	480	120°	
3525-3240S	240	125°	
3525-3260S	260	125°	
3525-3280S	280	125°	
3525-3300S	300	125°	
3525-3320S	320	125°	
3525-3340S	340	125°	
3525-3360S	360	125°	
3525-3380S	380	125°	
3525-3400S	400	125°	
3525-3420S	420	125°	
3525-3440S	440	125°	
3525-3460S	460	125°	
3525-3480S	480	125°	
3530-3240S	240	130°	
3530-3260S	260	130°	
3530-3280S	280	130°	
3530-3300S	300	130°	
3530-3320S	320	130°	
3530-3340S	340	130°	
3530-3360S	360	130°	
3530-3380S	380	130°	
3530-3400S	400	130°	
3530-3420S	420	130°	
3530-3440S	440	130°	
3530-3460S	460	130°	
3530-3480S	480	130°	

## 13mm Gamma3 Long Nail, R1.5M, Sterile (Right)

	Length (mm)	Angle	Qty.
3420-3240S	240	120°	
3420-3260S	260	120°	
3420-3280S	280	120°	
3420-3300S	300	120°	
3420-3320S	320	120°	
3420-3340S	340	120°	
3420-3360S	360	120°	
3420-3380S	380	120°	
3420-3400S	400	120°	
3420-3420S	420	120°	
3420-3440S	440	120°	
3420-3460S	460	120°	
3420-3480S	480	120°	
3425-3240S	240	125°	
3425-3260S	260	125°	
3425-3280S	280	125°	
3425-3300S	300	125°	
3425-3320S	320	125°	
3425-3340S	340	125°	
3425-3360S	360	125°	
3425-3380S	380	125°	
3425-3400S	400	125°	
3425-3420S	420	125°	
3425-3440S	440	125°	
3425-3460S	460	125°	
3425-3480S	480	125°	
3430-3240S	240	130°	
3430-3260S	260	130°	
3430-3280S	280	130°	
3430-3300S	300	130°	
3430-3320S	320	130°	
3430-3340S	340	130°	
3430-3360S	360	130°	
3430-3380S	380	130°	
3430-3400S	400	130°	
3430-3420S	420	130°	
3430-3440S	440	130°	
3430-3460S	460	130°	
3430-3480S	480	130°	

# Inventory Control Sheet Gamma3 R1.5 Nail

## 15mm Gamma3 Long Nail, R1.5M, Sterile (Left)

	Length (mm)	Angle	Qty.
3520-5240S	240	120°	
3520-5260S	260	120°	
3520-5280S	280	120°	
3520-5300S	300	120°	
3520-5320S	320	120°	
3520-5340S	340	120°	
3520-5360S	360	120°	
3520-5380S	380	120°	
3520-5400S	400	120°	
3520-5420S	420	120°	
3520-5440S	440	120°	
3520-5460S	460	120°	
3520-5480S	480	120°	
3525-5240S	240	125°	
3525-5260S	260	125°	
3525-5280S	280	125°	
3525-5300S	300	125°	
3525-5320S	320	125°	
3525-5340S	340	125°	
3525-5360S	360	125°	
3525-5380S	380	125°	
3525-5400S	400	125°	
3525-5420S	420	125°	
3525-5440S	440	125°	
3525-5460S	460	125°	
3525-5480S	480	125°	
3530-5240S	240	130°	
3530-5260S	260	130°	
3530-5280S	280	130°	
3530-5300S	300	130°	
3530-5320S	320	130°	
3530-5340S	340	130°	
3530-5360S	360	130°	
3530-5380S	380	130°	
3530-5400S	400	130°	
3530-5420S	420	130°	
3530-5440S	440	130°	
3530-5460S	460	130°	
3530-5480S	480	130°	

## 15mm Gamma3 Long Nail, R1.5M, Sterile (Right)

	Length (mm)	Angle	Qty.
3420-5240S	240	120°	
3420-5260S	260	120°	
3420-5280S	280	120°	
3420-5300S	300	120°	
3420-5320S	320	120°	
3420-5340S	340	120°	
3420-5360S	360	120°	
3420-5380S	380	120°	
3420-5400S	400	120°	
3420-5420S	420	120°	
3420-5440S	440	120°	
3420-5460S	460	120°	
3420-5480S	480	120°	
3425-5240S	240	125°	
3425-5260S	260	125°	
3425-5280S	280	125°	
3425-5300S	300	125°	
3425-5320S	320	125°	
3425-5340S	340	125°	
3425-5360S	360	125°	
3425-5380S	380	125°	
3425-5400S	400	125°	
3425-5420S	420	125°	
3425-5440S	440	125°	
3425-5460S	460	125°	
3425-5480S	480	125°	
3430-5240S	240	130°	
3430-5260S	260	130°	
3430-5280S	280	130°	
3430-5300S	300	130°	
3430-5320S	320	130°	
3430-5340S	340	130°	
3430-5360S	360	130°	
3430-5380S	380	130°	
3430-5400S	400	130°	
3430-5420S	420	130°	
3430-5440S	440	130°	
3430-5460S	460	130°	
3430-5480S	480	130°	

# Inventory Control Sheet Gamma3 R1.5 Nail

## Screws



5.0mm Fully Threaded Locking Screws, Titanium, Sterile

Length (mm)	Qty.	Length (mm)	Qty.
1896-5025S	25	1896-5075S	75
1896-5030S	30	1896-5080S	80
1896-5035S	35	1896-5085S	85
1896-5040S	40	1896-5090S	90
1896-5045S	45	1896-5095S	95
1896-5050S	50	1896-5100S	100
1896-5055S	55	1896-5105S	105
1896-5060S	60	1896-5110S	110
1896-5065S	65	1896-5115S	115
1896-5070S	70	1896-5120S	120

10.5mm RC Lag Screw  
Implant Kits, Titanium, Sterile



Length (mm)	Qty.	Length (mm)	Qty.
3066-0070S	70	3066-0105S	105
3066-0075S	75	3066-0110S	110
3066-0080S	80	3066-0115S	115
3066-0085S	85	3066-0120S	120
3066-0090S	90	3066-0125S	125
3066-0095S	95	3066-0130S	130
3066-0100S	100		

4.0mm Fully Threaded Locking Screws, Sterile

Length (mm)	Qty.	Length (mm)	Qty.
2360-4020S	20	2360-4042S	42.5
2360-4022S	22.5	2360-4045S	45
2360-4025S	25	2360-4047S	47.5
2360-4027S	27.5	2360-4050S	50
2360-4030S	30	2360-4052S	52.5
2360-4032S	32.5	2360-4055S	55
2360-4035S	35	2360-4057S	57.5
2360-4037S	37.5	2360-4060S	60
2360-4040S	39		

10.5mm Lag Screws, Titanium, Sterile



Length (mm)	Qty.	Length (mm)	Qty.
3060-0070S	70	3060-0105S	105
3060-0075S	75	3060-0110S	110
3060-0080S	80	3060-0115S	115
3060-0085S	85	3060-0120S	120
3060-0090S	90	3060-0125S	125
3060-0095S	95	3060-0130S	130
3060-0100S	100		



5.0mm Fully Threaded Locking Screws, Sterile

Length (mm)	Qty.	Length (mm)	Qty.
2360-5030S	30	2360-5057S	57.5
2360-5032S	32.5	2360-5060S	60
2360-5035S	35	2360-5065S	65
2360-5037S	37.5	2360-5070S	70
2360-5040S	40	2360-5075S	75
2360-5042S	42.5	2360-5080S	80
2360-5045S	45	2360-5085S	85
2360-5047S	47.5	2360-5090S	90
2360-5050S	50	2360-5095S	95
2360-5052S	52.5	2360-5100S	100
2360-5055S	55		


Advanced Locking Screws



Length (mm)	Qty.	Length (mm)	Qty.
2361-5030S	30	2361-5057S	57.5
2361-5032S	32.5	2361-5060S	60
2361-5035S	35	2361-5065S	65
2361-5037S	37.5	2361-5070S	70
2361-5040S	40	2361-5075S	75
2361-5042S	42.5	2361-5080S	80
2361-5045S	45	2361-5085S	85
2361-5047S	47.5	2361-5090S	90
2361-5050S	50	2361-5095S	95
2361-5052S	52.5	2361-5100S	100
2361-5055S	55		

4.0mm Advanced Locking Screws

Length (mm)	Qty.	Length (mm)	Qty.
2361-4027S	27.5	2361-4045S	45
2361-4030S	30	2361-4047S	47.5
2361-4032S	32.5	2361-4050S	50
2361-4035S	35	2361-4052S	52.5
2361-4037S	37.5	2361-4055S	55
2361-4040S	40	2361-4057S	57.5
2361-4042S	42.5	2361-4060S	60



Set Screw and End Caps, Titanium, Sterile

Type	Diameter (mm)	Length (mm)	Qty.
3003-0822S	Set Screw	8.0	17.5
3005-1100S	Standard	11.0	0
3005-1105S	+5mm	15.5	5.0
3005-1110S	+10mm	15.5	10

Compression Screw



Ref #	Diameter (mm)	Length (mm)	Qty.
2341-0001S	8	+0	

# Inventory Control Sheet Gamma3 R1.5 Nail

## Disposables

### Drills, Sterile

	Description	Qty.	
1806-4270S	Drill, 4.2 × 180mm, AO Small	<input type="text"/>	_____
1320-3042S	Drill, 4.2 × 300mm, AO Small	<input type="text"/>	_____
1320-3642S	Drill, 4.2 × 360mm, AO Small	<input type="text"/>	_____
2351-4218S	Freehand drill, 3.5 x 180mm	<input type="text"/>	_____
2351-4236S	Locking drill 4.2 x 360mm	<input type="text"/>	_____

### K-Wires, Sterile

	Description	Qty.	
1806-0080S	Guide Wire, Ball Tip, 3.0 × 800mm	<input type="text"/>	_____
1806-0085S	Guide Wire, Ball Tip, 3.0 × 1000mm	<input type="text"/>	_____
1210-6450S	K-wire 3.2 x 450mm, sterile	<input type="text"/>	_____
1210-6451S	K-wire 3.2 x 450mm, sterile	<input type="text"/>	_____

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Gamma3, Stryker. All other trademarks are trademarks of their respective owners or holders.

Literature Number: LG3S-ICS\_Rev-1

MS/GS 12/20

Copyright © 2020 Stryker

Printed in USA

325 Corporate Drive  
Mahwah, NJ 07430  
t: 201 831 5000

stryker.com

Hospital Signature