

# Inventory Control Sheet



## Gamma4 Nail

Surgery Date \_\_\_\_\_

Patient Information

Hospital \_\_\_\_\_ Surgeon \_\_\_\_\_

Sales Rep \_\_\_\_\_ Covered by \_\_\_\_\_


P.O.# \_\_\_\_\_ Received by \_\_\_\_\_

Ship Via \_\_\_\_\_ Ship To \_\_\_\_\_ Replenish To \_\_\_\_\_

Inv. Source  Hosp. Owned  Hosp. Consigned  Loaner  Other \_\_\_\_\_

Billing Type  Bill Only  Ship Only  Ship & Bill  Other \_\_\_\_\_

## Nail Kits



### Ø9mm Long Nail (Left)

	Length (mm)	CCD Angle	Qty.
8520-9240S	240	120°	
8520-9260S	260	120°	
8520-9280S	280	120°	
8520-9300S	300	120°	
8520-9320S	320	120°	
8520-9340S	340	120°	
8520-9360S	360	120°	
8520-9380S	380	120°	
8520-9400S	400	120°	
8520-9420S	420	120°	
8520-9440S	440	120°	
8520-9460S	460	120°	
8520-9480S	480	120°	
8525-9240S	240	125°	
8525-9260S	260	125°	
8525-9280S	280	125°	
8525-9300S	300	125°	
8525-9320S	320	125°	
8525-9340S	340	125°	
8525-9360S	360	125°	
8525-9380S	380	125°	
8525-9400S	400	125°	
8525-9420S	420	125°	
8525-9440S	440	125°	
8525-9460S	460	125°	
8525-9480S	480	125°	
8530-9240S	240	130°	
8530-9260S	260	130°	
8530-9280S	280	130°	
8530-9300S	300	130°	
8530-9320S	320	130°	
8530-9340S	340	130°	
8530-9360S	360	130°	
8530-9380S	380	130°	
8530-9400S	400	130°	
8530-9420S	420	130°	
8530-9440S	440	130°	
8530-9460S	460	130°	
8530-9480S	480	130°	

### Ø9mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.
8420-9240S	240	120°	
8420-9260S	260	120°	
8420-9280S	280	120°	
8420-9300S	300	120°	
8420-9320S	320	120°	
8420-9340S	340	120°	
8420-9360S	360	120°	
8420-9380S	380	120°	
8420-9400S	400	120°	
8420-9420S	420	120°	
8420-9440S	440	120°	
8420-9460S	460	120°	
8420-9480S	480	120°	
8425-9240S	240	125°	
8425-9260S	260	125°	
8425-9280S	280	125°	
8425-9300S	300	125°	
8425-9320S	320	125°	
8425-9340S	340	125°	
8425-9360S	360	125°	
8425-9380S	380	125°	
8425-9400S	400	125°	
8425-9420S	420	125°	
8425-9440S	440	125°	
8425-9460S	460	125°	
8425-9480S	480	125°	
8430-9240S	240	130°	
8430-9260S	260	130°	
8430-9280S	280	130°	
8430-9300S	300	130°	
8430-9320S	320	130°	
8430-9340S	340	130°	
8430-9360S	360	130°	
8430-9380S	380	130°	
8430-9400S	400	130°	
8430-9420S	420	130°	
8430-9440S	440	130°	
8430-9460S	460	130°	
8430-9480S	480	130°	

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



### Ø10mm Long Nail (Left)


	Length (mm)	CCD Angle	Qty.	
8520-0240S	240	120°	<input type="text"/>	_____
8520-0260S	260	120°	<input type="text"/>	_____
8520-0280S	280	120°	<input type="text"/>	_____
8520-0300S	300	120°	<input type="text"/>	_____
8520-0320S	320	120°	<input type="text"/>	_____
8520-0340S	340	120°	<input type="text"/>	_____
8520-0360S	360	120°	<input type="text"/>	_____
8520-0380S	380	120°	<input type="text"/>	_____
8520-0400S	400	120°	<input type="text"/>	_____
8520-0420S	420	120°	<input type="text"/>	_____
8520-0440S	440	120°	<input type="text"/>	_____
8520-0460S	460	120°	<input type="text"/>	_____
8520-0480S	480	120°	<input type="text"/>	_____
8525-0240S	240	125°	<input type="text"/>	_____
8525-0260S	260	125°	<input type="text"/>	_____
8525-0280S	280	125°	<input type="text"/>	_____
8525-0300S	300	125°	<input type="text"/>	_____
8525-0320S	320	125°	<input type="text"/>	_____
8525-0340S	340	125°	<input type="text"/>	_____
8525-0360S	360	125°	<input type="text"/>	_____
8525-0380S	380	125°	<input type="text"/>	_____
8525-0400S	400	125°	<input type="text"/>	_____
8525-0420S	420	125°	<input type="text"/>	_____
8525-0440S	440	125°	<input type="text"/>	_____
8525-0460S	460	125°	<input type="text"/>	_____
8525-0480S	480	125°	<input type="text"/>	_____
8530-0240S	240	130°	<input type="text"/>	_____
8530-0260S	260	130°	<input type="text"/>	_____
8530-0280S	280	130°	<input type="text"/>	_____
8530-0300S	300	130°	<input type="text"/>	_____
8530-0320S	320	130°	<input type="text"/>	_____
8530-0340S	340	130°	<input type="text"/>	_____
8530-0360S	360	130°	<input type="text"/>	_____
8530-0380S	380	130°	<input type="text"/>	_____
8530-0400S	400	130°	<input type="text"/>	_____
8530-0420S	420	130°	<input type="text"/>	_____
8530-0440S	440	130°	<input type="text"/>	_____
8530-0460S	460	130°	<input type="text"/>	_____
8530-0480S	480	130°	<input type="text"/>	_____

### Ø10mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.	
8420-0240S	240	120°	<input type="text"/>	_____
8420-0260S	260	120°	<input type="text"/>	_____
8420-0280S	280	120°	<input type="text"/>	_____
8420-0300S	300	120°	<input type="text"/>	_____
8420-0320S	320	120°	<input type="text"/>	_____
8420-0340S	340	120°	<input type="text"/>	_____
8420-0360S	360	120°	<input type="text"/>	_____
8420-0380S	380	120°	<input type="text"/>	_____
8420-0400S	400	120°	<input type="text"/>	_____
8420-0420S	420	120°	<input type="text"/>	_____
8420-0440S	440	120°	<input type="text"/>	_____
8420-0460S	460	120°	<input type="text"/>	_____
8420-0480S	480	120°	<input type="text"/>	_____
8425-0240S	240	125°	<input type="text"/>	_____
8425-0260S	260	125°	<input type="text"/>	_____
8425-0280S	280	125°	<input type="text"/>	_____
8425-0300S	300	125°	<input type="text"/>	_____
8425-0320S	320	125°	<input type="text"/>	_____
8425-0340S	340	125°	<input type="text"/>	_____
8425-0360S	360	125°	<input type="text"/>	_____
8425-0380S	380	125°	<input type="text"/>	_____
8425-0400S	400	125°	<input type="text"/>	_____
8425-0420S	420	125°	<input type="text"/>	_____
8425-0440S	440	125°	<input type="text"/>	_____
8425-0460S	460	125°	<input type="text"/>	_____
8425-0480S	480	125°	<input type="text"/>	_____
8430-0240S	240	130°	<input type="text"/>	_____
8430-0260S	260	130°	<input type="text"/>	_____
8430-0280S	280	130°	<input type="text"/>	_____
8430-0300S	300	130°	<input type="text"/>	_____
8430-0320S	320	130°	<input type="text"/>	_____
8430-0340S	340	130°	<input type="text"/>	_____
8430-0360S	360	130°	<input type="text"/>	_____
8430-0380S	380	130°	<input type="text"/>	_____
8430-0400S	400	130°	<input type="text"/>	_____
8430-0420S	420	130°	<input type="text"/>	_____
8430-0440S	440	130°	<input type="text"/>	_____
8430-0460S	460	130°	<input type="text"/>	_____
8430-0480S	480	130°	<input type="text"/>	_____

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



### Ø11mm Long Nail (Left)

	Length (mm)	CCD Angle	Qty.
8520-1240S	240	120°	
8520-1260S	260	120°	
8520-1280S	280	120°	
8520-1300S	300	120°	
8520-1320S	320	120°	
8520-1340S	340	120°	
8520-1360S	360	120°	
8520-1380S	380	120°	
8520-1400S	400	120°	
8520-1420S	420	120°	
8520-1440S	440	120°	
8520-1460S	460	120°	
8520-1480S	480	120°	
8525-1240S	240	125°	
8525-1260S	260	125°	
8525-1280S	280	125°	
8525-1300S	300	125°	
8525-1320S	320	125°	
8525-1340S	340	125°	
8525-1360S	360	125°	
8525-1380S	380	125°	
8525-1400S	400	125°	
8525-1420S	420	125°	
8525-1440S	440	125°	
8525-1460S	460	125°	
8525-1480S	480	125°	
8530-1240S	240	130°	
8530-1260S	260	130°	
8530-1280S	280	130°	
8530-1300S	300	130°	
8530-1320S	320	130°	
8530-1340S	340	130°	
8530-1360S	360	130°	
8530-1380S	380	130°	
8530-1400S	400	130°	
8530-1420S	420	130°	
8530-1440S	440	130°	
8530-1460S	460	130°	
8530-1480S	480	130°	

### Ø11mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.
8420-1240S	240	120°	
8420-1260S	260	120°	
8420-1280S	280	120°	
8420-1300S	300	120°	
8420-1320S	320	120°	
8420-1340S	340	120°	
8420-1360S	360	120°	
8420-1380S	380	120°	
8420-1400S	400	120°	
8420-1420S	420	120°	
8420-1440S	440	120°	
8420-1460S	460	120°	
8420-1480S	480	120°	
8425-1240S	240	125°	
8425-1260S	260	125°	
8425-1280S	280	125°	
8425-1300S	300	125°	
8425-1320S	320	125°	
8425-1340S	340	125°	
8425-1360S	360	125°	
8425-1380S	380	125°	
8425-1400S	400	125°	
8425-1420S	420	125°	
8425-1440S	440	125°	
8425-1460S	460	125°	
8425-1480S	480	125°	
8430-1240S	240	130°	
8430-1260S	260	130°	
8430-1280S	280	130°	
8430-1300S	300	130°	
8430-1320S	320	130°	
8430-1340S	340	130°	
8430-1360S	360	130°	
8430-1380S	380	130°	
8430-1400S	400	130°	
8430-1420S	420	130°	
8430-1440S	440	130°	
8430-1460S	460	130°	
8430-1480S	480	130°	

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



### Ø12mm Long Nail (Left)


	Length (mm)	CCD Angle	Qty.	
8520-2240S	240	120°	<input type="text"/>	_____
8520-2260S	260	120°	<input type="text"/>	_____
8520-2280S	280	120°	<input type="text"/>	_____
8520-2300S	300	120°	<input type="text"/>	_____
8520-2320S	320	120°	<input type="text"/>	_____
8520-2340S	340	120°	<input type="text"/>	_____
8520-2360S	360	120°	<input type="text"/>	_____
8520-2380S	380	120°	<input type="text"/>	_____
8520-2400S	400	120°	<input type="text"/>	_____
8520-2420S	420	120°	<input type="text"/>	_____
8520-2440S	440	120°	<input type="text"/>	_____
8520-2460S	460	120°	<input type="text"/>	_____
8520-2480S	480	120°	<input type="text"/>	_____
8525-2240S	240	125°	<input type="text"/>	_____
8525-2260S	260	125°	<input type="text"/>	_____
8525-2280S	280	125°	<input type="text"/>	_____
8525-2300S	300	125°	<input type="text"/>	_____
8525-2320S	320	125°	<input type="text"/>	_____
8525-2340S	340	125°	<input type="text"/>	_____
8525-2360S	360	125°	<input type="text"/>	_____
8525-2380S	380	125°	<input type="text"/>	_____
8525-2400S	400	125°	<input type="text"/>	_____
8525-2420S	420	125°	<input type="text"/>	_____
8525-2440S	440	125°	<input type="text"/>	_____
8525-2460S	460	125°	<input type="text"/>	_____
8525-2480S	480	125°	<input type="text"/>	_____
8530-2240S	240	130°	<input type="text"/>	_____
8530-2260S	260	130°	<input type="text"/>	_____
8530-2280S	280	130°	<input type="text"/>	_____
8530-2300S	300	130°	<input type="text"/>	_____
8530-2320S	320	130°	<input type="text"/>	_____
8530-2340S	340	130°	<input type="text"/>	_____
8530-2360S	360	130°	<input type="text"/>	_____
8530-2380S	380	130°	<input type="text"/>	_____
8530-2400S	400	130°	<input type="text"/>	_____
8530-2420S	420	130°	<input type="text"/>	_____
8530-2440S	440	130°	<input type="text"/>	_____
8530-2460S	460	130°	<input type="text"/>	_____
8530-2480S	480	130°	<input type="text"/>	_____

### Ø12mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.	
8420-2240S	240	120°	<input type="text"/>	_____
8420-2260S	260	120°	<input type="text"/>	_____
8420-2280S	280	120°	<input type="text"/>	_____
8420-2300S	300	120°	<input type="text"/>	_____
8420-2320S	320	120°	<input type="text"/>	_____
8420-2340S	340	120°	<input type="text"/>	_____
8420-2360S	360	120°	<input type="text"/>	_____
8420-2380S	380	120°	<input type="text"/>	_____
8420-2400S	400	120°	<input type="text"/>	_____
8420-2420S	420	120°	<input type="text"/>	_____
8420-2440S	440	120°	<input type="text"/>	_____
8420-2460S	460	120°	<input type="text"/>	_____
8420-2480S	480	120°	<input type="text"/>	_____
8425-2240S	240	125°	<input type="text"/>	_____
8425-2260S	260	125°	<input type="text"/>	_____
8425-2280S	280	125°	<input type="text"/>	_____
8425-2300S	300	125°	<input type="text"/>	_____
8425-2320S	320	125°	<input type="text"/>	_____
8425-2340S	340	125°	<input type="text"/>	_____
8425-2360S	360	125°	<input type="text"/>	_____
8425-2380S	380	125°	<input type="text"/>	_____
8425-2400S	400	125°	<input type="text"/>	_____
8425-2420S	420	125°	<input type="text"/>	_____
8425-2440S	440	125°	<input type="text"/>	_____
8425-2460S	460	125°	<input type="text"/>	_____
8425-2480S	480	125°	<input type="text"/>	_____
8430-2240S	240	130°	<input type="text"/>	_____
8430-2260S	260	130°	<input type="text"/>	_____
8430-2280S	280	130°	<input type="text"/>	_____
8430-2300S	300	130°	<input type="text"/>	_____
8430-2320S	320	130°	<input type="text"/>	_____
8430-2340S	340	130°	<input type="text"/>	_____
8430-2360S	360	130°	<input type="text"/>	_____
8430-2380S	380	130°	<input type="text"/>	_____
8430-2400S	400	130°	<input type="text"/>	_____
8430-2420S	420	130°	<input type="text"/>	_____
8430-2440S	440	130°	<input type="text"/>	_____
8430-2460S	460	130°	<input type="text"/>	_____
8430-2480S	480	130°	<input type="text"/>	_____

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



### Ø13mm Long Nail (Left)

	Length (mm)	CCD Angle	Qty.
8520-3240S	240	120°	
8520-3260S	260	120°	
8520-3280S	280	120°	
8520-3300S	300	120°	
8520-3320S	320	120°	
8520-3340S	340	120°	
8520-3360S	360	120°	
8520-3380S	380	120°	
8520-3400S	400	120°	
8520-3420S	420	120°	
8520-3440S	440	120°	
8520-3460S	460	120°	
8520-3480S	480	120°	
8525-3240S	240	125°	
8525-3260S	260	125°	
8525-3280S	280	125°	
8525-3300S	300	125°	
8525-3320S	320	125°	
8525-3340S	340	125°	
8525-3360S	360	125°	
8525-3380S	380	125°	
8525-3400S	400	125°	
8525-3420S	420	125°	
8525-3440S	440	125°	
8525-3460S	460	125°	
8525-3480S	480	125°	
8530-3240S	240	130°	
8530-3260S	260	130°	
8530-3280S	280	130°	
8530-3300S	300	130°	
8530-3320S	320	130°	
8530-3340S	340	130°	
8530-3360S	360	130°	
8530-3380S	380	130°	
8530-3400S	400	130°	
8530-3420S	420	130°	
8530-3440S	440	130°	
8530-3460S	460	130°	
8530-3480S	480	130°	

### Ø13mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.
8420-3240S	240	120°	
8420-3260S	260	120°	
8420-3280S	280	120°	
8420-3300S	300	120°	
8420-3320S	320	120°	
8420-3340S	340	120°	
8420-3360S	360	120°	
8420-3380S	380	120°	
8420-3400S	400	120°	
8420-3420S	420	120°	
8420-3440S	440	120°	
8420-3460S	460	120°	
8420-3480S	480	120°	
8425-3240S	240	125°	
8425-3260S	260	125°	
8425-3280S	280	125°	
8425-3300S	300	125°	
8425-3320S	320	125°	
8425-3340S	340	125°	
8425-3360S	360	125°	
8425-3380S	380	125°	
8425-3400S	400	125°	
8425-3420S	420	125°	
8425-3440S	440	125°	
8425-3460S	460	125°	
8425-3480S	480	125°	
8430-3240S	240	130°	
8430-3260S	260	130°	
8430-3280S	280	130°	
8430-3300S	300	130°	
8430-3320S	320	130°	
8430-3340S	340	130°	
8430-3360S	360	130°	
8430-3380S	380	130°	
8430-3400S	400	130°	
8430-3420S	420	130°	
8430-3440S	440	130°	
8430-3460S	460	130°	
8430-3480S	480	130°	

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



### Ø15mm Long Nail (Left)

	Length (mm)	CCD Angle	Qty.
8520-5240S	240	120°	<input type="text"/>
8520-5260S	260	120°	<input type="text"/>
8520-5280S	280	120°	<input type="text"/>
8520-5300S	300	120°	<input type="text"/>
8520-5320S	320	120°	<input type="text"/>
8520-5340S	340	120°	<input type="text"/>
8520-5360S	360	120°	<input type="text"/>
8520-5380S	380	120°	<input type="text"/>
8520-5400S	400	120°	<input type="text"/>
8520-5420S	420	120°	<input type="text"/>
8520-5440S	440	120°	<input type="text"/>
8520-5460S	460	120°	<input type="text"/>
8520-5480S	480	120°	<input type="text"/>
8525-5240S	240	125°	<input type="text"/>
8525-5260S	260	125°	<input type="text"/>
8525-5280S	280	125°	<input type="text"/>
8525-5300S	300	125°	<input type="text"/>
8525-5320S	320	125°	<input type="text"/>
8525-5340S	340	125°	<input type="text"/>
8525-5360S	360	125°	<input type="text"/>
8525-5380S	380	125°	<input type="text"/>
8525-5400S	400	125°	<input type="text"/>
8525-5420S	420	125°	<input type="text"/>
8525-5440S	440	125°	<input type="text"/>
8525-5460S	460	125°	<input type="text"/>
8525-5480S	480	125°	<input type="text"/>
8530-5240S	240	130°	<input type="text"/>
8530-5260S	260	130°	<input type="text"/>
8530-5280S	280	130°	<input type="text"/>
8530-5300S	300	130°	<input type="text"/>
8530-5320S	320	130°	<input type="text"/>
8530-5340S	340	130°	<input type="text"/>
8530-5360S	360	130°	<input type="text"/>
8530-5380S	380	130°	<input type="text"/>
8530-5400S	400	130°	<input type="text"/>
8530-5420S	420	130°	<input type="text"/>
8530-5440S	440	130°	<input type="text"/>
8530-5460S	460	130°	<input type="text"/>
8530-5480S	480	130°	<input type="text"/>

### Ø15mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.
8420-5240S	240	120°	<input type="text"/>
8420-5260S	260	120°	<input type="text"/>
8420-5280S	280	120°	<input type="text"/>
8420-5300S	300	120°	<input type="text"/>
8420-5320S	320	120°	<input type="text"/>
8420-5340S	340	120°	<input type="text"/>
8420-5360S	360	120°	<input type="text"/>
8420-5380S	380	120°	<input type="text"/>
8420-5400S	400	120°	<input type="text"/>
8420-5420S	420	120°	<input type="text"/>
8420-5440S	440	120°	<input type="text"/>
8420-5460S	460	120°	<input type="text"/>
8420-5480S	480	120°	<input type="text"/>
8425-5240S	240	125°	<input type="text"/>
8425-5260S	260	125°	<input type="text"/>
8425-5280S	280	125°	<input type="text"/>
8425-5300S	300	125°	<input type="text"/>
8425-5320S	320	125°	<input type="text"/>
8425-5340S	340	125°	<input type="text"/>
8425-5360S	360	125°	<input type="text"/>
8425-5380S	380	125°	<input type="text"/>
8425-5400S	400	125°	<input type="text"/>
8425-5420S	420	125°	<input type="text"/>
8425-5440S	440	125°	<input type="text"/>
8425-5460S	460	125°	<input type="text"/>
8425-5480S	480	125°	<input type="text"/>
8430-5240S	240	130°	<input type="text"/>
8430-5260S	260	130°	<input type="text"/>
8430-5280S	280	130°	<input type="text"/>
8430-5300S	300	130°	<input type="text"/>
8430-5320S	320	130°	<input type="text"/>
8430-5340S	340	130°	<input type="text"/>
8430-5360S	360	130°	<input type="text"/>
8430-5380S	380	130°	<input type="text"/>
8430-5400S	400	130°	<input type="text"/>
8430-5420S	420	130°	<input type="text"/>
8430-5440S	440	130°	<input type="text"/>
8430-5460S	460	130°	<input type="text"/>
8430-5480S	480	130°	<input type="text"/>

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)

### 240mm Intermediate Nail (Left)

	Length (mm)	CCD Angle	Diameter	Qty.	
8320-9240S	240	120°	Ø9	<input type="text"/>	_____
8320-0240S	240	120°	Ø10	<input type="text"/>	_____
8320-1240S	240	120°	Ø11	<input type="text"/>	_____
8320-2240S	240	120°	Ø12	<input type="text"/>	_____
8320-3240S	240	120°	Ø13	<input type="text"/>	_____
8325-9240S	240	125°	Ø9	<input type="text"/>	_____
8325-0240S	240	125°	Ø10	<input type="text"/>	_____
8325-1240S	240	125°	Ø11	<input type="text"/>	_____
8325-2240S	240	125°	Ø12	<input type="text"/>	_____
8325-3240S	240	125°	Ø13	<input type="text"/>	_____
8330-9240S	240	130°	Ø9	<input type="text"/>	_____
8330-0240S	240	130°	Ø10	<input type="text"/>	_____
8330-1240S	240	130°	Ø11	<input type="text"/>	_____
8330-2240S	240	130°	Ø12	<input type="text"/>	_____
8330-3240S	240	130°	Ø13	<input type="text"/>	_____

### 240mm Intermediate Nail (Right)

	Length (mm)	CCD Angle	Diameter	Qty.	
8220-9240S	240	120°	Ø9	<input type="text"/>	_____
8220-0240S	240	120°	Ø10	<input type="text"/>	_____
8220-1240S	240	120°	Ø11	<input type="text"/>	_____
8220-2240S	240	120°	Ø12	<input type="text"/>	_____
8220-3240S	240	120°	Ø13	<input type="text"/>	_____
8225-9240S	240	125°	Ø9	<input type="text"/>	_____
8225-0240S	240	125°	Ø10	<input type="text"/>	_____
8225-1240S	240	125°	Ø11	<input type="text"/>	_____
8225-2240S	240	125°	Ø12	<input type="text"/>	_____
8225-3240S	240	125°	Ø13	<input type="text"/>	_____
8230-9240S	240	130°	Ø9	<input type="text"/>	_____
8230-0240S	240	130°	Ø10	<input type="text"/>	_____
8230-1240S	240	130°	Ø11	<input type="text"/>	_____
8230-2240S	240	130°	Ø12	<input type="text"/>	_____
8230-3240S	240	130°	Ø13	<input type="text"/>	_____



### Trochanteric Nail 170mm

	Diameter (mm)	CCD Angle	Qty.	
8120-9170S	Ø9	120°	<input type="text"/>	_____
8120-0170S	Ø10	120°	<input type="text"/>	_____
8120-1170S	Ø11	120°	<input type="text"/>	_____
8120-2170S	Ø12	120°	<input type="text"/>	_____
8120-3170S	Ø13	120°	<input type="text"/>	_____
8125-9170S	Ø9	125°	<input type="text"/>	_____
8125-0170S	Ø10	125°	<input type="text"/>	_____
8125-1170S	Ø11	125°	<input type="text"/>	_____



	Diameter (mm)	CCD Angle	Qty.	
8125-2170S	Ø12	125°	<input type="text"/>	_____
8125-3170S	Ø13	125°	<input type="text"/>	_____
8130-9170S	Ø9	130°	<input type="text"/>	_____
8130-0170S	Ø10	130°	<input type="text"/>	_____
8130-1170S	Ø11	130°	<input type="text"/>	_____
8130-2170S	Ø12	130°	<input type="text"/>	_____
8130-3170S	Ø13	130°	<input type="text"/>	_____

## Screws

### RC Lag Screw

	Diameter (mm)	Length (mm)	Qty.	
8166-0070S	Ø10.5	70mm	<input type="text"/>	_____
8166-0075S	Ø10.5	75mm	<input type="text"/>	_____
8166-0080S	Ø10.5	80mm	<input type="text"/>	_____
8166-0085S	Ø10.5	85mm	<input type="text"/>	_____
8166-0090S	Ø10.5	90mm	<input type="text"/>	_____
8166-0095S	Ø10.5	95mm	<input type="text"/>	_____
8166-0100S	Ø10.5	100mm	<input type="text"/>	_____
8166-0105S	Ø10.5	105mm	<input type="text"/>	_____
8166-0110S	Ø10.5	110mm	<input type="text"/>	_____
8166-0115S	Ø10.5	115mm	<input type="text"/>	_____
8166-0120S	Ø10.5	120mm	<input type="text"/>	_____
8166-0125S	Ø10.5	125mm	<input type="text"/>	_____
8166-0130S	Ø10.5	130mm	<input type="text"/>	_____



### Ø10.5mm Lag Screw

	Length (mm)	Qty.		Length (mm)	Qty.		
8160-0070S	70	<input type="text"/>	_____	8160-0105S	105	<input type="text"/>	_____
8160-0075S	75	<input type="text"/>	_____	8160-0110S	110	<input type="text"/>	_____
8160-0080S	80	<input type="text"/>	_____	8160-0115S	115	<input type="text"/>	_____
8160-0085S	85	<input type="text"/>	_____	8160-0120S	120	<input type="text"/>	_____
8160-0090S	90	<input type="text"/>	_____	8160-0125S	125	<input type="text"/>	_____
8160-0095S	95	<input type="text"/>	_____	8160-0130S	130	<input type="text"/>	_____
8160-0100S	100	<input type="text"/>	_____				

# Inventory Control Sheet Gamma4 Nail

## Screws (cont)

Ø5mm Locking Screw




Length (mm)	Qty.	Length (mm)	Qty.
2360-5025S	25	2360-5060S	60
2360-5027S	27.5	2360-5065S	65
2360-5030S	30	2360-5070S	70
2360-5032S	32.5	2360-5075S	75
2360-5035S	35	2360-5080S	80
2360-5037S	37.5	2360-5085S	85
2360-5040S	40	2360-5090S	90
2360-5042S	42.5	2360-5095S	95
2360-5045S	45	2360-5100S	100
2360-5047S	47.5	2360-5105S	105
2360-5050S	50	2360-5110S	110
2360-5052S	52.5	2360-5115S	115
2360-5055S	55	2360-5120S	120
2360-5057S	57.5		

Ø5mm Advanced Locking Screw



Length (mm)	Qty.	Length (mm)	Qty.
2361-5030S	30	2361-5057S	57.5
2361-5032S	32.5	2361-5060S	60
2361-5035S	35	2361-5065S	65
2361-5037S	37.5	2361-5070S	70
2361-5040S	40	2361-5075S	75
2361-5042S	42.5	2361-5080S	80
2361-5045S	45	2361-5085S	85
2361-5047S	47.5	2361-5090S	90
2361-5050S	50	2361-5095S	95
2361-5052S	52.5	2361-5100S	100
2361-5055S	55		

## End Cap



Type	Diameter (mm)	Length (mm)	Qty.
8004-0000S	Standard	10.95	0
8004-0005S	+5mm	15.5	5
8004-0010S	+10mm	15.5	10
8004-0015S	+15mm	15.5	15

## Disposables

Description	Qty.
1420-0060S Precision Pin™, Ø3.9 × 450mm	
1420-0065S Precision Pin™, tapered Ø3.2/3.9 × 450mm	
2351-4236S Locking Drill, Ø4.2 × 360mm	
2351-4218S Freehand Drill, Ø4.2 × 180mm	
2351-5500S Counterbore Drill, Short, Ø5.5 × 185mm	
2351-5510S Counterbore Drill, Long, Ø5.5 × 255mm	
2351-5515S Counterbore Drill, Manual, Ø5.5 × 280mm	
2351-0390S Locking Scalpel	
2351-3080S Guide Wire with Ruler Tube, Ø3 × 800mm	
2351-3082S Guide Wire, Ø3 × 800mm	
2351-3100S Guide Wire with Ruler Tube, Ø3 × 1000mm	
2351-3102S Guide Wire, Ø3 × 1000mm	
1210-6451S K-wire, Ø3.2mm × 450mm	

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets.

Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Gamma4, Stryker. All other trademarks are trademarks of their respective owners or holders.

325 Corporate Drive  
Mahwah, NJ 07430  
t: 201 831 5000

stryker.com

Hospital Signature