


T2 Alpha™

Antegrade Femur GT/PF Nailing System

System components



T2 Alpha Femur Antegrade GT/PF



Femoral Nail GT, left

Ref #	Diameter (mm)	Length (mm)
2331-0924S	Ø9.0	240.0
2331-0926S	Ø9.0	260.0
2331-0928S	Ø9.0	280.0
2331-0930S	Ø9.0	300.0
2331-0932S	Ø9.0	320.0
2331-0934S	Ø9.0	340.0
2331-0936S	Ø9.0	360.0
2331-0938S	Ø9.0	380.0
2331-0940S	Ø9.0	400.0
2331-0942S	Ø9.0	420.0
2331-0944S	Ø9.0	440.0
2331-0946S	Ø9.0	460.0
2331-0948S	Ø9.0	480.0
2331-1024S	Ø10.0	240.0
2331-1026S	Ø10.0	260.0
2331-1028S	Ø10.0	280.0
2331-1030S	Ø10.0	300.0
2331-1032S	Ø10.0	320.0
2331-1034S	Ø10.0	340.0
2331-1036S	Ø10.0	360.0
2331-1038S	Ø10.0	380.0
2331-1040S	Ø10.0	400.0
2331-1042S	Ø10.0	420.0
2331-1044S	Ø10.0	440.0
2331-1046S	Ø10.0	460.0
2331-1048S	Ø10.0	480.0
2331-1124S	Ø11.0	240.0
2331-1126S	Ø11.0	260.0
2331-1128S	Ø11.0	280.0
2331-1130S	Ø11.0	300.0
2331-1132S	Ø11.0	320.0
2331-1134S	Ø11.0	340.0
2331-1136S	Ø11.0	360.0
2331-1138S	Ø11.0	380.0
2331-1140S	Ø11.0	400.0
2331-1142S	Ø11.0	420.0
2331-1144S	Ø11.0	440.0
2331-1146S	Ø11.0	460.0
2331-1148S	Ø11.0	480.0
2331-1224S	Ø12.0	240.0
2331-1226S	Ø12.0	260.0
2331-1228S	Ø12.0	280.0
2331-1230S	Ø12.0	300.0
2331-1232S	Ø12.0	320.0
2331-1234S	Ø12.0	340.0
2331-1236S	Ø12.0	360.0
2331-1238S	Ø12.0	380.0
2331-1240S	Ø12.0	400.0
2331-1242S	Ø12.0	420.0
2331-1244S	Ø12.0	440.0
2331-1246S	Ø12.0	460.0
2331-1248S	Ø12.0	480.0

T2 Alpha Femur Antegrade GT/PF



Femoral Nail GT, left

Ref #	Diameter (mm)	Length (mm)
2331-1324S	Ø13.0	240.0
2331-1326S	Ø13.0	260.0
2331-1328S	Ø13.0	280.0
2331-1330S	Ø13.0	300.0
2331-1332S	Ø13.0	320.0
2331-1334S	Ø13.0	340.0
2331-1336S	Ø13.0	360.0
2331-1338S	Ø13.0	380.0
2331-1340S	Ø13.0	400.0
2331-1342S	Ø13.0	420.0
2331-1344S	Ø13.0	440.0
2331-1346S	Ø13.0	460.0
2331-1348S	Ø13.0	480.0
2331-1424S	Ø14.0	240.0
2331-1426S	Ø14.0	260.0
2331-1428S	Ø14.0	280.0
2331-1430S	Ø14.0	300.0
2331-1432S	Ø14.0	320.0
2331-1434S	Ø14.0	340.0
2331-1436S	Ø14.0	360.0
2331-1438S	Ø14.0	380.0
2331-1440S	Ø14.0	400.0
2331-1442S	Ø14.0	420.0
2331-1444S	Ø14.0	440.0
2331-1446S	Ø14.0	460.0
2331-1448S	Ø14.0	480.0
2331-1524S	Ø15.0	240.0
2331-1526S	Ø15.0	260.0
2331-1528S	Ø15.0	280.0
2331-1530S	Ø15.0	300.0
2331-1532S	Ø15.0	320.0
2331-1534S	Ø15.0	340.0
2331-1536S	Ø15.0	360.0
2331-1538S	Ø15.0	380.0
2331-1540S	Ø15.0	400.0
2331-1542S	Ø15.0	420.0
2331-1544S	Ø15.0	440.0
2331-1546S	Ø15.0	460.0
2331-1548S	Ø15.0	480.0

T2 Alpha Femur Antegrade GT/PF



Femoral Nail GT, right

Ref #	Diameter (mm)	Length (mm)
2333-0924S	Ø9.0	240.0
2333-0926S	Ø9.0	260.0
2333-0928S	Ø9.0	280.0
2333-0930S	Ø9.0	300.0
2333-0932S	Ø9.0	320.0
2333-0934S	Ø9.0	340.0
2333-0936S	Ø9.0	360.0
2333-0938S	Ø9.0	380.0
2333-0940S	Ø9.0	400.0
2333-0942S	Ø9.0	420.0
2333-0944S	Ø9.0	440.0
2333-0946S	Ø9.0	460.0
2333-0948S	Ø9.0	480.0
2333-1024S	Ø10.0	240.0
2333-1026S	Ø10.0	260.0
2333-1028S	Ø10.0	280.0
2333-1030S	Ø10.0	300.0
2333-1032S	Ø10.0	320.0
2333-1034S	Ø10.0	340.0
2333-1036S	Ø10.0	360.0
2333-1038S	Ø10.0	380.0
2333-1040S	Ø10.0	400.0
2333-1042S	Ø10.0	420.0
2333-1044S	Ø10.0	440.0
2333-1046S	Ø10.0	460.0
2333-1048S	Ø10.0	480.0
2333-1124S	Ø11.0	240.0
2333-1126S	Ø11.0	260.0
2333-1128S	Ø11.0	280.0
2333-1130S	Ø11.0	300.0
2333-1132S	Ø11.0	320.0
2333-1134S	Ø11.0	340.0
2333-1136S	Ø11.0	360.0
2333-1138S	Ø11.0	380.0
2333-1140S	Ø11.0	400.0
2333-1142S	Ø11.0	420.0
2333-1144S	Ø11.0	440.0
2333-1146S	Ø11.0	460.0
2333-1148S	Ø11.0	480.0
2333-1224S	Ø12.0	240.0
2333-1226S	Ø12.0	260.0
2333-1228S	Ø12.0	280.0
2333-1230S	Ø12.0	300.0
2333-1232S	Ø12.0	320.0
2333-1234S	Ø12.0	340.0
2333-1236S	Ø12.0	360.0
2333-1238S	Ø12.0	380.0
2333-1240S	Ø12.0	400.0
2333-1242S	Ø12.0	420.0
2333-1244S	Ø12.0	440.0
2333-1246S	Ø12.0	460.0
2333-1248S	Ø12.0	480.0

T2 Alpha Femur Antegrade GT/PF



Femoral Nail GT, right

Ref #	Diameter (mm)	Length (mm)
2333-1324S	Ø13.0	240.0
2333-1326S	Ø13.0	260.0
2333-1328S	Ø13.0	280.0
2333-1330S	Ø13.0	300.0
2333-1332S	Ø13.0	320.0
2333-1334S	Ø13.0	340.0
2333-1336S	Ø13.0	360.0
2333-1338S	Ø13.0	380.0
2333-1340S	Ø13.0	400.0
2333-1342S	Ø13.0	420.0
2333-1344S	Ø13.0	440.0
2333-1346S	Ø13.0	460.0
2333-1348S	Ø13.0	480.0
2333-1424S	Ø14.0	240.0
2333-1426S	Ø14.0	260.0
2333-1428S	Ø14.0	280.0
2333-1430S	Ø14.0	300.0
2333-1432S	Ø14.0	320.0
2333-1434S	Ø14.0	340.0
2333-1436S	Ø14.0	360.0
2333-1438S	Ø14.0	380.0
2333-1440S	Ø14.0	400.0
2333-1442S	Ø14.0	420.0
2333-1444S	Ø14.0	440.0
2333-1446S	Ø14.0	460.0
2333-1448S	Ø14.0	480.0
2333-1524S	Ø15.0	240.0
2333-1526S	Ø15.0	260.0
2333-1528S	Ø15.0	280.0
2333-1530S	Ø15.0	300.0
2333-1532S	Ø15.0	320.0
2333-1534S	Ø15.0	340.0
2333-1536S	Ø15.0	360.0
2333-1538S	Ø15.0	380.0
2333-1540S	Ø15.0	400.0
2333-1542S	Ø15.0	420.0
2333-1544S	Ø15.0	440.0
2333-1546S	Ø15.0	460.0
2333-1548S	Ø15.0	480.0

T2 Alpha Femur Antegrade GT/PF



Femoral Nail PF, left**

Ref #	Diameter (mm)	Length (mm)
2335-0924S	Ø9.0	240.0
2335-0926S	Ø9.0	260.0
2335-0928S	Ø9.0	280.0
2335-0930S	Ø9.0	300.0
2335-0932S	Ø9.0	320.0
2335-0934S	Ø9.0	340.0
2335-0936S	Ø9.0	360.0
2335-0938S	Ø9.0	380.0
2335-0940S	Ø9.0	400.0
2335-0942S	Ø9.0	420.0
2335-0944S	Ø9.0	440.0
2335-0946S	Ø9.0	460.0
2335-0948S	Ø9.0	480.0
2335-1024S	Ø10.0	240.0
2335-1026S	Ø10.0	260.0
2335-1028S	Ø10.0	280.0
2335-1030S	Ø10.0	300.0
2335-1032S	Ø10.0	320.0
2335-1034S	Ø10.0	340.0
2335-1036S	Ø10.0	360.0
2335-1038S	Ø10.0	380.0
2335-1040S	Ø10.0	400.0
2335-1042S	Ø10.0	420.0
2335-1044S	Ø10.0	440.0
2335-1046S	Ø10.0	460.0
2335-1048S	Ø10.0	480.0
2335-1124S	Ø11.0	240.0
2335-1126S	Ø11.0	260.0
2335-1128S	Ø11.0	280.0
2335-1130S	Ø11.0	300.0
2335-1132S	Ø11.0	320.0
2335-1134S	Ø11.0	340.0
2335-1136S	Ø11.0	360.0
2335-1138S	Ø11.0	380.0
2335-1140S	Ø11.0	400.0
2335-1142S	Ø11.0	420.0
2335-1144S	Ø11.0	440.0
2335-1146S	Ø11.0	460.0
2335-1148S	Ø11.0	480.0
2335-1224S	Ø12.0	240.0
2335-1226S	Ø12.0	260.0
2335-1228S	Ø12.0	280.0
2335-1230S	Ø12.0	300.0
2335-1232S	Ø12.0	320.0
2335-1234S	Ø12.0	340.0
2335-1236S	Ø12.0	360.0
2335-1238S	Ø12.0	380.0
2335-1240S	Ø12.0	400.0
2335-1242S	Ø12.0	420.0
2335-1244S	Ø12.0	440.0
2335-1246S	Ø12.0	460.0
2335-1248S	Ø12.0	480.0

T2 Alpha Femur Antegrade GT/PF



Femoral Nail PF, left**

Ref #	Diameter (mm)	Length (mm)
2335-1324S	Ø13.0	240.0
2335-1326S	Ø13.0	260.0
2335-1328S	Ø13.0	280.0
2335-1330S	Ø13.0	300.0
2335-1332S	Ø13.0	320.0
2335-1334S	Ø13.0	340.0
2335-1336S	Ø13.0	360.0
2335-1338S	Ø13.0	380.0
2335-1340S	Ø13.0	400.0
2335-1342S	Ø13.0	420.0
2335-1344S	Ø13.0	440.0
2335-1346S	Ø13.0	460.0
2335-1348S	Ø13.0	480.0
2335-1424S	Ø14.0	240.0
2335-1426S	Ø14.0	260.0
2335-1428S	Ø14.0	280.0
2335-1430S	Ø14.0	300.0
2335-1432S	Ø14.0	320.0
2335-1434S	Ø14.0	340.0
2335-1436S	Ø14.0	360.0
2335-1438S	Ø14.0	380.0
2335-1440S	Ø14.0	400.0
2335-1442S	Ø14.0	420.0
2335-1444S	Ø14.0	440.0
2335-1446S	Ø14.0	460.0
2335-1448S	Ø14.0	480.0
2335-1524S	Ø15.0	240.0
2335-1526S	Ø15.0	260.0
2335-1528S	Ø15.0	280.0
2335-1530S	Ø15.0	300.0
2335-1532S	Ø15.0	320.0
2335-1534S	Ø15.0	340.0
2335-1536S	Ø15.0	360.0
2335-1538S	Ø15.0	380.0
2335-1540S	Ø15.0	400.0
2335-1542S	Ø15.0	420.0
2335-1544S	Ø15.0	440.0
2335-1546S	Ø15.0	460.0
2335-1548S	Ø15.0	480.0

**Femoral nail PF is not CE marked in accordance with applicable EU regulations and directives. Stryker is not marketing or distributing these products in the EU. Any reference to Femoral nail PF is for presentation purposes only.

T2 Alpha Femur Antegrade GT/PF



Femoral Nail PF, right**

Ref #	Diameter (mm)	Length (mm)
2337-0924S	Ø9.0	240.0
2337-0926S	Ø9.0	260.0
2337-0928S	Ø9.0	280.0
2337-0930S	Ø9.0	300.0
2337-0932S	Ø9.0	320.0
2337-0934S	Ø9.0	340.0
2337-0936S	Ø9.0	360.0
2337-0938S	Ø9.0	380.0
2337-0940S	Ø9.0	400.0
2337-0942S	Ø9.0	420.0
2337-0944S	Ø9.0	440.0
2337-0946S	Ø9.0	460.0
2337-0948S	Ø9.0	480.0
2337-1024S	Ø10.0	240.0
2337-1026S	Ø10.0	260.0
2337-1028S	Ø10.0	280.0
2337-1030S	Ø10.0	300.0
2337-1032S	Ø10.0	320.0
2337-1034S	Ø10.0	340.0
2337-1036S	Ø10.0	360.0
2337-1038S	Ø10.0	380.0
2337-1040S	Ø10.0	400.0
2337-1042S	Ø10.0	420.0
2337-1044S	Ø10.0	440.0
2337-1046S	Ø10.0	460.0
2337-1048S	Ø10.0	480.0
2337-1124S	Ø11.0	240.0
2337-1126S	Ø11.0	260.0
2337-1128S	Ø11.0	280.0
2337-1130S	Ø11.0	300.0
2337-1132S	Ø11.0	320.0
2337-1134S	Ø11.0	340.0
2337-1136S	Ø11.0	360.0
2337-1138S	Ø11.0	380.0
2337-1140S	Ø11.0	400.0
2337-1142S	Ø11.0	420.0
2337-1144S	Ø11.0	440.0
2337-1146S	Ø11.0	460.0
2337-1148S	Ø11.0	480.0
2337-1224S	Ø12.0	240.0
2337-1226S	Ø12.0	260.0
2337-1228S	Ø12.0	280.0
2337-1230S	Ø12.0	300.0
2337-1232S	Ø12.0	320.0
2337-1234S	Ø12.0	340.0
2337-1236S	Ø12.0	360.0
2337-1238S	Ø12.0	380.0
2337-1240S	Ø12.0	400.0
2337-1242S	Ø12.0	420.0
2337-1244S	Ø12.0	440.0
2337-1246S	Ø12.0	460.0
2337-1248S	Ø12.0	480.0

T2 Alpha Femur Antegrade GT/PF



Femoral Nail PF, right**

Ref #	Diameter (mm)	Length (mm)
2337-1324S	Ø13.0	240.0
2337-1326S	Ø13.0	260.0
2337-1328S	Ø13.0	280.0
2337-1330S	Ø13.0	300.0
2337-1332S	Ø13.0	320.0
2337-1334S	Ø13.0	340.0
2337-1336S	Ø13.0	360.0
2337-1338S	Ø13.0	380.0
2337-1340S	Ø13.0	400.0
2337-1342S	Ø13.0	420.0
2337-1344S	Ø13.0	440.0
2337-1346S	Ø13.0	460.0
2337-1348S	Ø13.0	480.0
2337-1424S	Ø14.0	240.0
2337-1426S	Ø14.0	260.0
2337-1428S	Ø14.0	280.0
2337-1430S	Ø14.0	300.0
2337-1432S	Ø14.0	320.0
2337-1434S	Ø14.0	340.0
2337-1436S	Ø14.0	360.0
2337-1438S	Ø14.0	380.0
2337-1440S	Ø14.0	400.0
2337-1442S	Ø14.0	420.0
2337-1444S	Ø14.0	440.0
2337-1446S	Ø14.0	460.0
2337-1448S	Ø14.0	480.0
2337-1524S	Ø15.0	240.0
2337-1530S	Ø15.0	300.0
2337-1532S	Ø15.0	320.0
2337-1534S	Ø15.0	340.0
2337-1536S	Ø15.0	360.0
2337-1538S	Ø15.0	380.0
2337-1540S	Ø15.0	400.0
2337-1542S	Ø15.0	420.0
2337-1544S	Ø15.0	440.0
2337-1546S	Ø15.0	460.0
2337-1548S	Ø15.0	480.0

**Femoral nail PF is not CE marked in accordance with applicable EU regulations and directives. Stryker is not marketing or distributing these products in the EU. Any reference to Femoral nail PF is for presentation purposes only.

T2 Alpha Femur – implants



Set screws

Ref #	Description	Diameter (mm)
2331-0000S	Set Screw GT	Ø8.0
2335-0000S	Set Screw PF**	Ø8.0



Compression Screw Femur

Ref #	Diameter (mm)	Length (mm)
2330-0001S	Ø5.5	

Locking screws*

Ref #	Diameter (mm)	Length (mm)
2360-5025S	Ø5.0	25.0
2360-5027S	Ø5.0	27.5
2360-5030S	Ø5.0	30.0
2360-5032S	Ø5.0	32.0
2360-5035S	Ø5.0	35.0
2360-5037S	Ø5.0	37.5
2360-5040S	Ø5.0	40.0
2360-5042S	Ø5.0	42.5
2360-5045S	Ø5.0	45.0
2360-5047S	Ø5.0	47.5
2360-5050S	Ø5.0	50.0
2360-5052S	Ø5.0	52.5
2360-5055S	Ø5.0	55.0
2360-5057S	Ø5.0	57.5
2360-5060S	Ø5.0	60.0
2360-5065S	Ø5.0	65.0
2360-5070S	Ø5.0	70.0
2360-5075S	Ø5.0	75.0
2360-5080S	Ø5.0	80.0
2360-5085S	Ø5.0	85.0
2360-5090S	Ø5.0	90.0
2360-5095S	Ø5.0	95.0
2360-5100S	Ø5.0	100.0
2360-5105S	Ø5.0	105.0
2360-5110S	Ø5.0	110.0
2360-5115S	Ø5.0	115.0
2360-5120S	Ø5.0	120.0

** Set screw PF is not CE marked in accordance with applicable EU regulations and directives. Stryker is not marketing or distributing these products in the EU. Any reference to set screw PF is for presentation purposes only.

*IMN Screws System

T2 Alpha Femur – implants



Advanced locking screws*

Ref #	Diameter (mm)	Length (mm)
2361-5030S	Ø5.0	30.0
2361-5032S	Ø5.0	32.5
2361-5035S	Ø5.0	35.0
2361-5037S	Ø5.0	37.5
2361-5040S	Ø5.0	40.0
2361-5042S	Ø5.0	42.5
2361-5045S	Ø5.0	45.0
2361-5047S	Ø5.0	47.5
2361-5050S	Ø5.0	50.0
2361-5052S	Ø5.0	52.5
2361-5055S	Ø5.0	55.0
2361-5057S	Ø5.0	57.5
2361-5060S	Ø5.0	60.0
2361-5065S	Ø5.0	65.0
2361-5070S	Ø5.0	70.0
2361-5075S	Ø5.0	75.0
2361-5080S	Ø5.0	80.0
2361-5085S	Ø5.0	85.0
2361-5090S	Ø5.0	90.0
2361-5095S	Ø5.0	95.0
2361-5100S	Ø5.0	100.0



6.5mm Lag Screws, Recon**

Ref #	Diameter (mm)	Length (mm)
1897-6065S	Ø6.5	65.0
1897-6070S	Ø6.5	70.0
1897-6075S	Ø6.5	75.0
1897-6080S	Ø6.5	80.0
1897-6085S	Ø6.5	85.0
1897-6090S	Ø6.5	90.0
1897-6095S	Ø6.5	95.0
1897-6100S	Ø6.5	100.0
1897-6105S	Ø6.5	105.0
1897-6110S	Ø6.5	110.0
1897-6115S	Ø6.5	115.0
1897-6120S	Ø6.5	120.0
1897-6125S	Ø6.5	125.0
1897-6130S	Ø6.5	130.0



End Cap GT/PF and End Cap Lower Extremity***

Ref #	Diameter (mm)	Size
2330-0000S	Ø8.0	0
2330-0005S	Ø13.0	5
2330-0010S	Ø13.0	10
2330-0015S	Ø13.0	15
2330-0020S	Ø13.0	20

























*IMN Screws System

** T2 Recon System

*** T2 Alpha Tibia Nailing System

T2 Alpha Antegrade Femur GT/PF – instruments

Basic long*

	Ref #	Description
	2351-0010	Curved awl
	2351-0011	Awl plug
	2351-0020	Reduction rod
	2351-0030	Guide wire handle
	2351-0040	Ball tip screwdriver
	2351-0050	Delta strike plate
	2351-0060	Slotted hammer
	2351-0070	Tissue protection sleeve, long
	2351-0100	Screwdriver bit, short
	2351-0101	Self-retaining screwdriver sleeve, short
	2351-0105	Screwdriver bit, medium
	2351-0106	Self-retaining screwdriver sleeve, medium
	2351-0110	Screwdriver bit, long
	2351-0140	Quick-lock delta handle, modified trinkle
	2351-0150	Guided depth gauge
	2351-0160	Freehand depth gauge, short
	2351-0170	Freehand depth gauge, long
	2351-0180	Extraction shaft
	2351-0340	Screw scale
	2351-0380	Guide wire pusher
	2351-0400	Compression screwdriver
	2351-0420	X-ray ruler
	2351-4280	Locking drill sleeve, long
	2351-4290	Locking trocar, long


T2 Alpha Antegrade Femur GT/PF – instruments

Optional instruments*



Ref #	Description
2351-0145	Quick-lock T-handle
2351-0370	Reamer head tray insert
2355-5030	Drills and pins insert
2351-0111	Self-retaining screwdriver sleeve, long
1806-0022	Guide Wire Ruler



















Disposables*



Ref #	Description
2351-3028S	K-wire, Ø3 x 285mm
2351-4236S	Locking drill, Ø4.2 x 360mm
2351-3536S	Locking drill, Ø3.5 x 360mm
2351-4213S	Freehand drill, Ø4.2 x 130mm
2351-4218S	Freehand drill, Ø4.2 x 180mm
2351-3513S	Freehand drill, Ø3.5 x 130mm
2351-3518S	Freehand drill, Ø3.5 x 180mm
2351-3240S	Drill-tip recon K-wire, Ø3.2 x 400mm
2351-3340S	Threaded recon K-wire, Ø3.2 x 400mm
2351-5500	Counterbore drill short
2351-5510	Counterbore drill long
2351-5515	Counterbore drill; Manual



















T2 Alpha Antegrade Femur GT/PF – instruments

Instruments for the Femoral Nail PF





	Ref #	Description
	2351-0190	Recon tissue protection sleeve
	2351-0200	Recon K-wire sleeve
	2351-0210	Recon lag screw drill
	2351-0220	Recon lag screwdriver bit
	2351-0221	Recon lag screwdriver rod
	2351-0225	Recon solid lag screwdriver bit
	2351-0240	Recon one shot device
	2351-0250	External compression device femur
	2353-3105	Adjusting device femur antegrade
	2353-3106	Distal targeting arm femur antegrade
	2353-3301	Recon knob
	2353-3503	Targeting arm femur PF
	2353-4104	Nail holding screw tibia / femur PF
	2351-6000	Opening reamer handle
	2351-6113	Opening reamer, Ø13mm
	2351-6213	Opening reamer sleeve, Ø13mm
	2351-6313	Opening reamer trocar, Ø13mm
	2355-3020	Femur Antegrade PF Indication Tray

T2 Alpha Antegrade Femur GT/PF – instruments

Instruments for the Femoral Nail GT

Ref #	Description
	2351-0190 Recon tissue protection sleeve
	2351-0200 Recon K-wire sleeve
	2351-0210 Recon lag screw drill
	2351-0220 Recon lag screwdriver bit
	2351-0221 Recon lag screwdriver rod
	2351-0225 Recon solid lag screwdriver bit
	2351-0240 Recon one shot device
	2351-0250 External compression device femur
	2353-3103 Targeting arm femur GT
	2353-3104 Nail holding screw femur GT
	2353-3105 Adjusting device femur antegrade
	2353-3106 Distal targeting arm femur antegrade
	2353-3301 Recon knob
	2351-6000 Opening reamer handle
	2351-6113 Opening reamer, 13mm
	2351-6213 Opening reamer sleeve, 13mm
	2351-6313 Opening reamer trocar, 13mm
	2355-3000 Femur Antegrade GT Indication Tray

Antegrade femur distal targeting

Ref #	Description
	2353-3105 Adjusting device femur antegrade
	2353-3106 Distal targeting arm femur antegrade
	1320-5395 Gamma 3 [®] distal targeting device oblique alignment wire
	2355-3050 Distal targeting tray, femur antegrade

Trauma & Extremities

This document is intended solely for the use of healthcare professionals. A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate a Stryker product. A surgeon must always refer to the package insert, product label and/or instructions for use, including the instructions for Cleaning and Sterilization (if applicable), before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Stryker, T2 Alpha. All other trademarks are trademarks of their respective owners or holders.

The products listed above are CE marked.

The Femoral Nail PF and the Set Screw PF are not CE marked.

Content ID: T2-SCS-5_Rev-1, 11-2018

Copyright © 2018 Stryker



Manufacturer:

Stryker Trauma GmbH
Prof.-Küntzcher-Str. 1-5
24232 Schönkirchen
Germany
stryker.com